MATERIA MATERIA DE	ECORD F	WWC-5 SE NW S	W SE			
WATER WELL R	ECORD Form	WWC-5'	Div	ision of Wate	1 1	
Original Record		ge in Well Use		ources App. N		Well ID
1' LOCATION OF W	AJER WELL!	Fraction W WWW.	Sour Seg	tion Numbe		
2 WELL OWNER: I		First:		rol Addross	T 26s	R DEXW
Business:						
Address: 47/	8 n Portive	st cus				
Address: 41 Address:						
3 LOCATE WELL	4 DEPTH OF COM	MPLETED WELL:	.3/n	. 5 Latitu	ıde:	(decimal degrees)
WITH "X" IN SECTION BOX:		Encountered: 1)		1		
SECTION BOX:	Depth(s) Groundwater Encountered: 1)					
	WELL'S STATIC WA	TER LEVEL: /./	ft	Source	for Latitude/Longitude:	55 LINE 27
	Lips (unit make/model:					
NW NE	above land surface, measured on (mo-day-yr) (WAAS enabled? \(\subseteq \text{ Yes} \) \(\subseteq \text{ No} \)					
	Pump test data: Well water was					
W		s pumping			nline Mapper:	•••••
SW SE	1	s pumping				
				6 Eleva	tion:ft. [☐ Ground Level ☐ TOC
S	Bore Hole Diameter:	9 gpm in. to	ft. and		: Land Survey GP	
1 mile		in. to	ft.		☐ Other	
7 WELL WATER TO BE USED AS:						
1. Domestic:	5. 🗆 Public W	ater Supply: well ID		10. 🔲 Oi	l Field Water Supply: leas	e
☐ Household		ng: how many wells?			Hole: well ID	
Lawn & Garden		techarge: well ID			sed Uncased Ge	
Livestock		ng: well ID			ermal: how many bores?.	
2. Irrigation		tal Remediation: well II			osed Loop Horizontal	
3. Feedlot	☐ Air Sparg		Extraction		pen Loop Surface Disch	
4. Industrial Recovery Injection 13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes You If yes, date sample was submitted:						
Water well disinfected?						
8 TYPE OF CASING USED: Steel KIPVC Other						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify)						
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous Slot						
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)						
Louvered Shutter						
GRAVEL PA	CK INTERVALS: From	more	ft., From .	ft. to	ft., From	ft. to ft.
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
Nearest source of possib	le contamination:					
☐ Septic Tank	☐ Lateral Lin	,		Livestock Pe		
Sewer Lines	Cess Pool	☐ Sewage La		Fuel Storage		ed Water Well
Watertight Sewer Li	nes	t Feedyard		Fertilizer Sto	rage	Gas Well
Other (Specify) Direction from well? Distance from well? 50 ft.						
Direction from well? 10 FROM TO	LITHOLØ		FROM	то	LITHO. LOG (cont.) or P	LUGGING INTERVALS
10 PROM 10	LITHOLO	2- /	7	10	LITTO. LOG (cont.) of F.	LUGGING INTERVALS
2 /3	FOR	一之)	4-0		WP-SSD-L	
77 47	Carro	· J		1		
 /3 3/ 	ya se	- ay	120			WAS
					TO THE STATE OF TH	
					PER M	
			Notes:			
			1,0163.			
11 CONTRACTOR'S	OR LANDOWNED	S CERTIFICA AND	V: This water	r well was	Constructed, ☐ recons	structed or nlugged
under my jurisdiction a	nd was completed on (no-day-year)	19 and	this record	s true to the best of my	knowledge and belief
Kansas Water Well Co	ntractor's ticense No	47.2 This W	ater Well Re	cord was cor	npleted or (mo-day-year	knowledge and belief r)
under the business nam	e of D	Van Lu	mg 4	- We	L/	
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas						
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012						
Vigit up at httm://www.l.dl						