		RECORD		WWC-5			vision of Wa]			
		Correction VATER WEI	Chang	ge in Well Use Fraction		91 -	ources App.			Well ID			
Count	\mathbf{v} $\mathbf{D}_{\mathbf{z}}$	ب ، براليه	. 16	1/2 CW// I	W_{ν}	4 N W/ Se	ction Numb	ber	Township Numl		nge Number ☐ E X W		
2 WELL	OWNER:	Last Name: Bo	Am	First:					ere well is located	(if unknowr	, distance and		
2 WELL OWNER: Last Name: Boldman First: Business: Address: Address										7 —			
Address: City:	wie	lite	State:	ZIP: 6720	3309 Crystal Beach								
3 LOCAT		4 DEPTE				27							
	WITH "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)								Longitude:				
	2) ft., or 4) Dry Well							ım: 🔲	WGS 84 □ NA	D 83 □1	.(decimal degrees)		
			WALL STATIC WATER LEVEL:										
N	NE		above land surface, measured on (mo-day-yr)						unit make/model:				
	1 1 1	Pump test d	Pump test data: Well water was ft.					(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
W	E after hours pumping gpm Well water was ft.							☐ Online Mapper:					
SW	after hours pumping												
		Estimated Y	Estimated Yield:gpm					6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map ☐ Other					
l	S mile	Bore Hole I	Bore Hole Diameter:										
7 WELL WATER TO BE USED AS:													
1. Domestic		5.	Public Wa	ater Supply: well	ID		10. 🔲 (Oil Fie	eld Water Supply: 1	ease	******		
House								11. Test Hole: well ID					
Livest								☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?					
2. Irrigati		9. E	9. Environmental Remediation: well ID					a) Closed Loop Horizontal Vertical					
3. ☐ Feedlo 4. ☐ Industr	☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction ☐ Industrial ☐ Recovery ☐ Injection							b) Open Loop					
outer (specify).													
Water well disinfected? Wes D No													
8 TYPE OF CASING USED: ☐ Steel X PVC ☐ Other													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to weight Weight Wall thickness or gauge No. 6.0													
Casing height above land surface													
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)													
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)													
☐ Louve	ered Shutter	☐ Key Puncl	hed 🔲 W	ire Wrapped	□ Sa	w Cut 🔲 N	None (Open)	Hole)					
SCREEN-PERFORATED INTERVALS: From													
GRAVEL PACK INTERVALS: From													
Grout Intervals: From													
Nearest sou	rce of possib	le contaminati	on:	11., 1 10111	•••••	16. 10	11., 1 1011	1	11. 10	Il.			
☐ Septic			Lateral Line	_		_	Livestock P			cide Storage			
Sewer 1	Lines ight Sewer Li		Cess Pool Seepage Pit	☐ Sewa ☐ Feedy			Fuel Storag Fertilizer St		☐ Abando	oned Water all/Gas Well	Well		
Other (Specify)		· ·					orage		II/Gas WCII			
Direction fro		mon	171101 O	Distance fr	om w	T			ft.				
10 FROM	TO		JTHOLO	FIC LOG		FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
2	15	10/	= 1	2	21	Dans		1			*****		
15	33	Coa	rso.	tan.		some	7						
						Notes:		Ĺ		711.			
						- 1101esi							
11 CONT	D. J. COTT C. D. A.C.												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief													
Kansas Wa	Kansas Water Well Contractor's Lagense No												
		e of			Lan			H.		<u></u>			
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.													
		eks.gov/waterwell/		3 ,		KSA 82a-1		,			ed 9/10/2012		

KSA 82a-1212

Revised 9/10/2012