	WATER WELL R	ECORD F	orm WW	/C-5 K	(SA 82a-121	2			
1 LOCATION OF WATER WELL:	FRACTION			ION NUMBE			RANGE NUM	BER	
Sedgwick	NE 1/4 SW	1/4 SE	1/4	29	Т 26	s s	R 1W	E/W	
Distance and direction from nearest town or	•	within city?							
	e, Kansas	AT							
<u>.</u>	ES CONSTRUCTION					Board of Agric	ulture, Division of Wate	er Resource	
	333 E. 21st N. Ste. 303 ichita, Kansas	3	717	CODE:		Application Num	her.		
	4 DEPTH OF CIMELS TO	A/FII 50		CODE:	ELEVATION:	Application Num	Det.		
── WITH AN "X" IN SECTION BOX:	_	,	ft.		ECEVATION.	ft.		ft.	
, , , , , , , , , , , , , , , , , , , 	Depth of groundwater Encoun WELL'S STATIC WATER LE			ALL AND CI	JRFACE MEASU		av/vr: 4/16/1		
	Pump test of			W LAND S	ft. after		of pumping @	و. gpn	
0) NWNE	Est. Yield: gpm				ft. after		of pumping @	gpm	
₩ E	Bore Hole Diameter	in.	to	ft	. and	in.	to	ft.	
-	WELL WATER	AS:				9. Dewaterin	ig 11. Injectio	on well	
3W	1. Domestic 3. Feedlot				and garden only		12. Other (Spec	cify below	
	Irrigation 4. Industri Was a chemical/bacteriological s				nditioning	10. Monitorin : If ves. w	g weii /hat mo/day/yr was	sample	
S	submitted	sample submitted to b	repartment?	YES Was \	Water Well Disinf		YES NO	•	
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. Ot	her (Specify	y below) CAS	ING JOINTS:	Glued T	hreaded	
1. Steel 3. RPM	(SR)	J			,		Welded C	Clamped	
2. PVC 4. ABS	6. Asbestos-Cemen		-						
Blank casing diameter 8		t., Dia.	in.	to	ft.,	Dia. i	n. to	ft.	
Casing height a constant to		Weight:	it.	s. / ft.	Wall th	ckness or gaug	e No.		
TYPE OF SCREEN OR PERFORATI		7. PVC	0.41	20	11 0#	ner (specify)	J/A		
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)				9. ABS 11. Other (specify) 1N/A 10. Asbestos-Cement 12. None used (open hole)					
		o. ravii (ora)	10. 7.	3503.03-00	11011	no acca (open :	1010)		
SCREEN OR PERFORATION OPEN 1. Continuous slot 3. Mil		wranned	7 T o	ch cut	9 Drill	ed holes	11. None (ope	en hole)	
		• • •						,	
2. Louvered shutter 4. Ke	y punched 6. Wire wra	appea	8. Sa	wcut	10. Otne	er (specify) N/	A		
SCREEN - PERFORATION INTERVA	AL From	ft. to		ft.,	From	ft.	to	ft.	
	From	ft. to		ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVALS	5: From	ft. to		ft.,	From	ft.	to	ft.	
	From	ft. to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. Ne		ment Grout	3	. Bentonite	•	Other bente	onite hole plug		
Grout Intervals: From	8 ft. to 28	ft., From	ft.	to	ft.,	From	ft. to	ft.	
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 1			0. Livestoc	. Livestock pens		13. Insecticide storage		15. Oil well/Gas well	
Sepuc tank 4. Lateral lines			1. Fuel stor	. Fuel storage		14. Abandon water well		16. Other (specify below)	
2. 00.101 111100	epage pit 9. Feed y	ard 1	2. Fertilizer	storage			None App	arent	
Direction from well?	spage pit			J	How ma	iny feet?			
From To LITHOLOGIC LOG			From	To	LITHOLOGIC LOG				
			70	27 *	bentonite h				
			27	50′	chlorinated	gravel			
			1						
	,								
	-								
			ļ		-			· · · · · · · · · · · · · · · · · · ·	
					-				
				ļ	-				
			<u> </u>	<u> </u>					
Contractor's or Landowner's Ce		1. constructed	2. re	constructe	d or 3.	plugged	under my jurisdiction	n and	
was completed on (mo/day/year)	4/16/2015	and this record	is true to the	best of my	knowledge and b	oelief.			
Kansas Water Well Contractor's Lic	cense No. 236	This water we	ell record wa	s complete	d on (mo/day/yea	r) 4/17	/2015		

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) under the business name of Harp Well and Pump Service by (signature)

day/year) 4/17/2015
Todd S. Harp