		WATER WE	ELL REC	CORD	Form	ww	C-5 K	SA 82a-12	12			
1 LOCATION OF WATER	WELL:	FRACTION	NITT'	~			ON NUMBE	1	IP NUMBER	RANGE N		
Sedgwick		NE 1/4		1/4 SV	V 1/4	<u> </u>	31	<u> </u>	26 S	R 1V	V E/W	
Distance and direction from 3313 N. Parkri	-	street address of well Wichita, F		nin city?								
2 WATER WELL OV		RP HOMES	Kunsus				. =			A. 4. 44 4 1		
RR#,ST. ADDRESS,BOX #: 430 Walnut									Board of Agriculture, Division of Water Resource			
CITY, S		ısta, Kansas				ZIP	CODE:		Application Nu	mber:		
3 LOCATE WELL'S LOC		DEPTH OF COMPL	LETED WE	LL:	64	ft.		ELEVATION:				
N N	Dep	oth of groundwater		~-		ft.			ft.		ft.	
	WE	ELL'S STATIC WA					V LAND S		SURED ON mo			
NW	· NE	Pun Est. Yield:	np test data gpm		water wa water wa			ft. after ft. after		s of pumping @ rs of pumping @	gpm gpm	
w ∑ w	E Bo	ore Hole Diameter	1.0	in.	water w	to 6 4	4 ft		in.	to	ft.	
[= X	WE	ELL WATER TO BI	E USED AS	S :					9. Dewater	ing 11. Inje	ction well	
sw	1		Feedlot					and garden or	ح <u>واا</u> 10. Monitori		pecify below)	
		. Irrigation 4. I las a chemical/bacteri	Industrial				8. Air co	NO		w <u>hat</u> mo/day/yr v	was sample	
S		bmitted	lological salli	pie soomittee	то верин			Water Well Dis	nfected?	YES	NO	
5 TYPE OF CASI		5. Wrought	Iron	7. Fibergla	ass	9. Oth	ner (Specif	y below) CA	ASING JOINTS:	Glued	Threaded	
1. Steel 3. RPM (SR) Welded Clamped												
2. PVC	4. ABS 5	***************************************	44 ft.,	Dia.	io ino	in.	to	ft.,	Dia.	in. to	ft.	
Blank casing diameter	_	12 in	77 11.,	Weight:	2.3		s. / ft.	,	thickness or gai			
Casing height above I TYPE OF SCREEN OF		,		weight.	2.3	J 10	S. / II.	vvaii	unckness or gat	ige No214	ı	
	Stainless Steel	5. Fiberglass		7. PVC		9. AE	3S	11. (Other (specify)			
2. Brass 4.	Galvanized	6. Concrete T	ïle	8. RMP (SF	₹)	10. As	sbestos-Ce	ment 12. I	None used (oper	n hole)		
SCREEN OR PERFOR	RATION OPENING	GS ARE:										
1. Continuous slot 3. Mill slot 5. Gauzed wrapped						7. Tor	ch cut	9. D r	9. Drilled holes 11. None (open hole)			
2. Louvered shutter	4. Key pı	unched 6. V	Vire wrapp	ed	(8. Sav	v cut	10. O	her (specify)			
SCREEN - PERFORAT	ION INTERVAL	From	44	ft.	to	64	ft.,	From	ft.	to	ft.	
		From		ft.	to		ft.,	From	ft.	to	ft.	
GRAVEL PAC	K INTERVALS:	From	24	ft.	to	64	ft.,	From	ft.	to	ft.	
		From	1	ft.	to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIA	LS: 1. Neat	cement	2. Ceme	ent Grout		3	. Bentonit	e	Other ben	tonite hole pl	ug	
Grout Intervals:	From 4	ft. to	24 f	t., Froi	m	ft.	to	ft.,	From	ft. to	ft.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7. Pit privy							k pens	13. inse	cticide storage	15. Oil well/	Gas well	
1. Septic tank 4. Lateral lines 4. Lateral lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify by										pecify below)		
3 Watertight sewer		•	. Feed yard	1	12. F	ertilizer	storage					
Direction from well?	North	3- p						How	many feet? 10			
From To		LITHOLOGIC	CLOG		F	rom	То		LITHOL	OGIC LOG		
	topsoil				-							
	clay fine sand											
	medium sand	1										
					_			 				
										·		
					+			1				
					_			 				
								1				
								ļ				
								<u> </u>		- 4 - 1 - 1 - 1		
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and												
was completed on (mo/day/year)	6/1/2015		and this rec	ord is tru	ue to the	best of my	y knowledge an	d belief.			
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 6/3/15												
under the business	name of Harp	Well and Pur	np Servi	ice		by (si	gnature)	7	odd!	S. Hart)	
1										<u> </u>		