	WATER W	ELL RE	CORD	Form W	/WC-5 k	KSA 82a-1	1212			
1 LOCATION OF WATER WELL:	FRACTION				SECTION NUMBER		TOWNSHIP NUMBER		RANGE NUMBER	
Sedgwick Distance and direction from nearest town or city	NE 1/4	NE	1/4 SW	1/4	32	T	26 S	R	1W	E/W
8930 Westlakes Ct.	Wichita, K		min city?							
	CLELLAN H									
RR#,ST. ADDRESS,BOX #: 1108	W. 34th N.						Board of Ag	riculture, Divisior	of Wat	er Resource
	hita, Kansas				ZIP CODE:		Application Nu	ımber:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COMP	PLETED WE	ELL: 6	67	t.	ELEVATIO				
N De	pth of groundwate		• •		ft.		ft.			ft.
	ELL'S STATIC WA				LOW LAND S		ASURED ON mo		6/1/1	
NW NE	Est. Yield:	mp test data gpm		ater was ater was		ft. after ft. after		rs of pumping (rs of pumping (_	gpm gpm
₩ W E B	ore Hole Diameter				67 f	ft. and	in.	to	_	ft.
	ELL WATER TO B			-4		and garden	9. Dewate	ring 11.	Injecti	on well
		Feedlot Industrial			ply 8. Air co	and garden o	10. Monito r		r (Spe	cify below)
1	Vas a chemical/bacte					NO		what mo/day/	/yr wa:	s sample
<u></u>	bmitted				Was	Water Well D	isinfected?	(YES)	NC	1
5 TYPE OF CASING USED: 1. Steel 3. RPM (SF	5. Wrought	tiron	7. Fiberglass	s 9.	Other (Speci	fy below) (CASING JOINTS:			hreaded
2. PVC 4. ABS	6. Asbestos	s-Cement	8. Concrete	tile S	DR-26			Welded	(Clamped
Blank casing diameter 5	in. to	47 ft.,	Dia.	in.	to	ft.,	Dia.	in. to		ft.
Casing height above land surface:	12 in.,		Weight:	2.35	lbs. / ft.	Wa	II thickness or gai	uge No. 🏒	214	
TYPE OF SCREEN OR PERFORATION	MATERIAL:	_								
1. Steel 3. Stainless Steel	5. Fiberglass	-	7. PVC		. ABS		Other (specify)	- 1 -1 1		
2. Brass 4. Galvanized	6. Concrete T	ille	8. RMP (SR)	10	. Asbestos-Ce	ement 12.	. None used (ope	n noie)		
SCREEN OR PERFORATION OPENING 1. Continuous slot 3. Mill sl		Gauzed wra	anned	7	Torch cut	9 [Orilled holes	11. Non	e (one	en hole)
2. Louvered shutter 4. Key p		Wire wrapp	• •		Saw cut		Other (specify)		о (о р .	,,,,,,,,,
			_							
SCREEN - PERFORATION INTERVAL	From From	•	_	o 6 7/	ft.,	From From	ft.	to		ft.
GRAVEL PACK INTERVALS:	From			to 67	ft., ft.,	From	ft. ft.	to to		ft.
	From			0,	ft.,	From	ft.			ft.
6 GROUT MATERIALS: 1. Neat					3. Bentonit			tonite hole	nluo	ft.
Grout Intervals: 1. Neat cement 2. Cement Grout 3. Be Grout Intervals: From 4 ft. to 24 ft., From ft.						ft.,		ft.	to	i ft.
What is the nearest source of possible co	7	. Pit privy		10. Livest						
9 Sawara larger					torage		13. Insecticide storage 15. Oil well/Gas well 14. Abandon water well 16. Other (specify below)			
2. Sewer lines 5. Cess Pool 1. Abaliton water well									,	
Oirection from well? 6. Seepa West	ge pit	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-		-	How	v many feet? 10	ft. plus		
	LITHOLOGIC	C LOG		Fron	n To		LITHOL	OGIC LOC	}	
0 3 topsoil							***************************************			
3 20 clay 20 45 fine sand				7	-	 				
45 67 medium sand										
				_	<u> </u>					
				<u> </u>						

				-						
				-						
				+	<u> </u>	ļ				
				+						
7 Contractor's or Landowner's Certifi	cation: This water	well was 1	Constructe	d) 2	reconstructe	ed or 3.	plugged	under my juris	sdiction	n and
was completed on (mo/day/year)	6/1/2015		and this record							
Kansas Water Well Contractor's Licen		•			•	ed on (mo/day/		/3/15		
		mn 6a '			•	•			. بيو	
under the business name of Harp	wen and Pur	np Servi	.ce	υу	(signature)		Todd S	s. Hau	<u>rp</u>	