County: <u>Sedawick</u> Fraction <u>E2 W2 NE</u>	<u>VW</u> Sec. <u>30</u> t <u>26</u> s r / EW
CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5) (to rectify lacking or incorrect information)	
Owner: Klausmeyer Construction	
Location was listed as:	Location changed to:
Section-Township-Range: 39-265-1W	30-265-1W
Fraction (1/4 1/4 1/4): 5W NE NW	EZ WZ NE NW
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: Wellsite address, c	ity street map, and
Verification method: Wellsite address, c. mapping tool on KGS we	b = i te - initials: ARA date: 10/2/2015
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Ja	Constant Ave., Lawrence, KS 66047-3726

Form WWC-5 WATER WELL RECORD KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick \mathbf{SW} NE NW 1/4 39 Т 26 S 1WDistance and direction from nearest town or city street address of well if located within city? 4426 Cassie Maize, Kansas KLAUSMEYER CONSTRUCTION WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 10008 W. York CITY, STATE: Wichita, Kansas ZIP CODE: Application Number: 65 4 DEPTH OF COMPLETED WELL: LOCATE WELL'S LOCATION ft. **ELEVATION:** WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered ft. ft. Ν WELL'S STATIC WATER LEVEL 40 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 6/30/15 мX Pump test data: Well water was ft. after hours of pumping @ NE gpm Est. Yield: Well water was Φ apm ft after hours of pumping @ gpm Ī 12 Bore Hole Diameter to 65 and in. ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE-3. Feedlot 1. Domestic 12. Other (Specify below) 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chemical/bacteriological sample submitted to Department? ; If yes, what mo/day/yr was sample (NO) submitted Was Water Well Disinfected? (YES) NO TYPE OF CASING USED: 5 CASING JOINTS: Glued 9. Other (Specify below) Threaded 7. Fiberglass 5. Wrought Iron 1. Steel 3. RPM (SR) Welded Clamped SDR-26 8. Concrete tile Asbestos-Cement 2. PVC 4. ABS Blank casing diameter 5 45 to ft.. Dia. in. ft. to 12 Casing height above land surface: Weight: 2.35 lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 3. Stainless Steel 9. ABS 11. Other (specify) 1. Steel 5. Fiberalass 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 8. Saw cut 4. Key punched 6. Wire wrapped 10. Other (specify) SCREEN - PERFORATION INTERVAL 45 ft 65 From to ft., From ft. to ft ft. From to ft., From ft. ft. to **GRAVEL PACK INTERVALS:** 24 ft. to 65 From ft., From ft. From ft to ft., From ft to ft. **GROUT MATERIALS:** 6 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: ft. From 24 ft., ft. ft.. to From ft. What is the nearest source of possible contamination: 7. Pit privy 10. Livestock pens 15. Oil well/Gas well 13. Insecticide storage 1. Septic tank 4. Lateral lines 8. Sewage lagoon 11. Fuel storage 16. Other (specify below) 2. Sewer lines 5. Cess Pool 14. Abandon water well 9. Feed yard 12. Fertilizer storage 3 Watertight sewer line 6. Seepage pit South Direction from well? How many feet? 10 ft. plus From LITHOLOGIC LOG LITHOLOGIC LOG Τo From Τo Ω topsoil 3 14 clav 14 40 fine sand medium sand 40 65 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and 6/30/2015 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) under the business name of Harp Well and Pump Service by (signature) Todd S. Harb