WATÉR WELL RECORD		· Form WWC-5		r Resources App. No		
1 LOCATION OF WATER WELL:			Section Number		, ,	
County: Sec	dawick	1/4 SE 1/4 SE 1/4 SW 1/4	31	T 26 S		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here  Latitude:						
			Longitude: (in decimal degrees)			
3025 N. Coetina Wichita, Ks 67205			Elevation:			
2 WATER WELL OWNER: Goertz Homes			Collection Method:			
RR#, Street Address, Box #: 1061 N. 119th St W			GPS unit (Make/Model:)			
City, State, ZTP Code : Wishits KS 67235			Digital Map/Photo. Topographic Map. Land Survey			
3 LOCATE WELL						
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.  SECTION BOX: Depth(s) Groundwater Encountered (1) 30 ft (2) ft (3) ft					
	SECTION BOX: Depth(s) Groundwater Encountered (1).30 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL.30 ft. below land surface measured on mo/day/yr.					
	Pump test data: Well water was					
	EST. YIELD. 18gpm. Well water was					
w NW	NE E Bore Hole Diam	neter 10 in. to 60 f	t. andin	to	.fl.	
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Was a chemical/bacteriological sample submitted to Department?   Yes   No						
S If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected? ✓ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .5 in. to .60 ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface12						
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From .3						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)						
☑ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well East ☐ Distance from well40'						
	LITHOLOG				IGGING INTERVALS	
FROM TO		IIC LOG FROM	10 LITHOLD	OG (COIIC.) OF PLC	OUND INTERVALS	
3 30	Topsoil Clay	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
30 60	Medium Sand					
00	WEGIGITI GATIG		· · · · ·			
			/			
		* 4				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .06/24/20.15 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/daytyear) 06/24/2015 under the business name of Premier Pump & Well Service, Inc. by (signature) 1. 2002 2. 4. 4. 4.						
under the busin	ess name of	III & VYEII SELVICE, ITC.	. by (signature)	and check the comme	anguers Send one comute	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						