WATE	R WEI	LL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. N	o.		
1 LOCATION OF WATER WELL:		Fraction					Range Nu			
County: Sedgwick			1/4 NW 1/4 NW			30			□E ØW	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .					Latiti	Latitude:				
					Long	Longitude: (in decimal degrees) Elevation:				
						Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Joseph Stang						Collection Method:				
RR#, Street Address, Box #: 4123 N. Rutger Circle						GPS unit (Make/Model:)				
City, State, ZIP Code : Maize, KS 67101					!	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
				Est. A	Est. Accuracy.					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.										
	SECTION BOX: Depth(s) Groundwater Encountered (1).25 ft. (2)									
520	N WELL'S STATIC WATER LEVEL 25ft. below land surface measured on mo/day/yr									
┌─	Pump test data: Well water wasft. after hours pumping								gpm	
<sub>N</sub>	EST. YIELD. 18gpm. Well water was									
w	W           E   Bore Hole Diameter								.11	
WELL WATER TO BE USED AS:   Public water supply   Geothermal   Injection well   Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)										
Was a chemical/bacteriological sample submitted to Department? Yes No										
s If yes, mo/day/yr sample was submitted										
	1 mile		fected?  Yes							
5 TVP	E OF C	ASING USED: Steel	PVC D	Other						
5 TYPE OF CASING USED: Steel PVC Other										
Casing diameter 5. in. to 60. ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter ft.										
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS:         From										
	CDAT	CL DACK DEEDMALC.	From	nt. to	• • • • • • • • • • • • • • • • • • • •	It., From	π.	to to	π. Α	
GRAVEL PACK INTERVALS: From 20 ft. to 60 ft., Fr										
6 GPC	HT MA	TERIAL: Neat ceme	ent Cement grout	Rento	nite [	Other				
	ntervals:	From .3 ft. to	20 ft. From	)	ft. to	ft	From	. ft. to	ft.	
Grout Intervals: From .3										
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								elow)		
✓ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☐ Fuel storage       ☐ Abandoned water well         ☐ Watertight sewer lines       ☐ Seepage pit       ☐ Feedyard       ☐ Fertilizer storage       ☐ Oil well/gas well										
∟ Dire	j waterug ction from	11 Meet	itreedyaid			ell20.'	15 WCII	· · · · · · · · · · · · · · · · · · ·		
FROM		LITHOLOG		FROM	TO		OG (cont.) or PLU	GGING IN	TERVALS	
0	3	Topsoil								
3	15	Clay								
15	60	Medium Sand								
				ļ						
	-							· · · · · · · · · · · · · · · · · · ·		
				<del> </del>						
				<del> </del>						
7 CON	TRACTO	OR'S OR LANDOWNER	'S CERTIFICATIO	N: This wat	er well v	vas 🔽 constri	ucted. Treconstru	ucted, or	plugged	
		ction and was completed or								
Kansas	Water W	ell Contractor's License No	o238 This V	Vater Well R	ecord w	as completeff	on (mo/day/year)	10/10/201		
under th	e busines	s name of Premier Pun	np. & Well Service, In	ıç	by (s	ignature)	V. Under	Que Mul	. <i>Q</i> )	
INSTRU		Use typewriter or ball point pen							one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
		.,	http://www.kdheks.gov							