WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER	FRACTION					SECTION NUMBER		R TOWNS	TOWNSHIP NUMBER		RANGE NUMBER	
Sedgwick		sw	1/4	NE	1/4	NW	1/4	30	Т	2 6 s	R 1V	V E/W
Distance and direction from	n nearest town or city st	treet address	of well it	flocated	within ci	ity?	,				- Company of the Comp	
11504 W. Will				Kan	***************						<u></u>	**************************************
2 WATER WELL O		VCO, Ke			nna					Board of Agr	iculture, Division of V	Vater Resource
RR#,ST. ADDRESS,		W. Wil		n St.							,	74107 710004.00
processor and the second second second	Market Street Commence of the Street	e, Kansa					E	ZIP CODE:		Application Nur	nber:	
3 LOCATE WELL'S LO WITH AN "X" IN SEC	TION BOX:	EPTH OF				6	3	ft.	ELEVATION			
N		th of groun				25		ft.		ft.	0/2/	ft.
	, VVE	LL'S STAT				25		ELOW LAND S		SURED ON mo/		0/15
	-NE	Est. Yield:		p test d gpm		Well wa Well wa			ft. after ft. after		s of pumping @ s of pumping @	gpm gpm
w Killer	E Bo	re Hole Dia			•	n.		65 f	t. and	in.	to	ft.
-	' 1 1	LL WATEF		USED	AS:					9. Dewater	ina 11. Inje	ction well
sw	1.	Domestic		eedlot					and garden o	nly	12. Other (S	pecify below)
		Irrigation						oply 8. Air co		10. Monitori	ng well what_mo/day/yr \	was samnie
s		as a chemica mitted	al/bacterio	ological s	ample s	ubmitted to	Departme		(NO) Water Well Dis			NO
5 TYPE OF CAS								. Other (Speci		ASING JOINTS:	Glued	Threaded
1. Steel	3. RPM (SR)	5. W	rought I	ron	7.	Fiberglass			iy below) O	A01110 1011110.	Welded	Clamped
2. PVC	> 4. ABS	6. As	sbestos-	Cemen	t 8.	Concrete t	ile ^S	SDR-26				
Blank casing diamete	r 5 i	n.	to 4	15 f	t.,	Dia.	ir	. to	ft.,	Dia.	in. to	ft.
Casing height above	land surface:	12	in.,		V	/eight:	2.35	lbs. / ft.	Wall	thickness or gau	ge No214	
TYPE OF SCREEN C	R PERFORATION	MATERIA	L:									
1. Steel 3	. Stainless Steel	5. Fibe	Ŭ	,	-	vc>		9. ABS		Other (specify)		
2. Brass 4	. Galvanized	6. Con	crete Til	е	8. F	RMP (SR)	1	0. Asbestos-Ce	ement 12.	None used (oper	hole)	
SCREEN OR PERFO	RATION OPENING	S ARE:										
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut								9. D	rilled holes	11. None (open hole)	
2. Louvered shutte	r 4. Key pu	nched	6. W	lire wra	pped		<8	Saw cut	10. O	ther (specify)		
SCREEN - PERFORA	TION INTERVAL	From		45	ft.	to	6:	5 ft.,	From	ft.	to	ft.
		From			ft.	to)	ft.,	From	ft.	to	ft.
GRAVEL PA	CK INTERVALS:	From		24	ft.	t	o 6:	5 ft.,	From	ft.	to	ft.
		From			ft.	t	0	ft.,	From	ft.	to	ft.
6 GROUT MATERI	ALS: 1. Neat c	ement		2 Ce	ment C	Grout		3. Bentonit	e	Other ben	tonite hole pl	ug
Grout Intervals:	From 4	ft.	to	24	ft.,	From		ft. to	ft.,	From	ft. to	_
What is the nearest source of possible contamination:									Gas well			
1. Septic tank 4. Lateral lines 4. Lateral lines 4. Lateral lines 4. Lateral lines								16 Other /c	pecify below)			
2. Sewer lines	5. Cess P			_	-	ווכ		_	14. ADA	ndon water well		, ,
3. Watertight sewer Direction from well?	r line 6. Seepag North & W		9.	Feed y	ard		ı∠. Ferti	lizer storage	Ном	many feet? 15	ft plus	
From To		LITHOL	OGIC	I OG	1		Fro	m To	11000		OGIC LOG	A1
0 3	topsoil		<u> </u>				1 10					· · · · · · · · · · · · · · · · · · ·
3 18	clay											
18 40	fine sand											
40 65	medium sand											
						·						
		······································										****
							+				<u> </u>	

				Marine State Street Principles								
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and												
was completed on (mo/day/year) 9/30/2015 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/1/2015												
				C		•		y (signature)				los.
under the business	name of Harp	wen an	urun	ıp ser	vice			, (orginaturo)		i oaa s	s. Harj)