		WATER W	/ELL RE	CORD	Form \	WWC-5	KSA 82a-	1212					
1'1	1 LOCATION OF WATER WELL:				. 1	SECTION NUMBE		TOWNSHIP NUMBER			RANGE NUMBER		
Sedgwick Distance and direction from ne	arest town or city of	NE 1/4		1/4 SW	1/4	31	T	26 8	<u> </u>	R	1W	E/W	
3310 N. Parkrid			chita, Ka	•									
2 WATER WELL OWN	<u> </u>	RP CONSTI				**************************************					***********		
RR#,ST. ADDRESS,BO	×#: 430 W	Valnut						Boa	rd of Agricultu	re, Divisio	n of Wat	er Resource	
CITY, STA	OFFICE AND DESCRIPTION OF THE PERSON OF THE	sta, Kansas		**************************************	Diameter (a statute state	ZIP CODE:		Applica	ation Number:				
3 LOCATE WELL'S LOCAT	rion 4 Di	EPTH OF COM	PLETED WI	ELL:	60	ft.	ELEVATIO	N:					
N N	Dept	h of groundwate				ft.		ft				ft.	
	WEI	L'S STATIC W				ELOW LAND S	URFACE ME	ASURED C	N mo/day/	yr:	9/25/1	.5	
	E		ump test dat		ater was		ft. after		hours of p		_	gpm	
Wije w	E Bo	Est. Yield: re Hole Diamete	gpm er 12	in.	ater was	o 60 f	ft. afte t. and		hours of p		@ to	gpm	
- X		L WATER TO I			U		i. anu		ewatering		io Injecti	ft. on well	
SW S			. Feedlot	5. Public w	ater sup	ply 7. Lawn	and garden	only	J	12. Oth	-	cify below)	
		-	. Industrial			pply 8. Air co			onitoring war on the second of		dur wa	o comple	
S		is a chemical/bacte mitted	eriological sam	nple submitted to	Departme		NO Water Well D	_	YE		nyr was		
5 TYPE OF CASING	USED:	5. Wrough	t Iron	7. Fiberglas	c	9. Other (Specif	fv below)	CASING JC	INTS: G	lued	T	hreaded	
1. Steel	3. RPM (SR)	_				SDR-26	, ,		We	elded	C	Clamped	
2. PVC	4. ABS 5 ir		s-Cement	8. Concrete	tile		-						
Blank casing diameter	-	n. to 12 in	40 ft.,	Dia.		n. to	ft.,	Dia.	in.	to)	ft.	
Casing height above lan TYPE OF SCREEN OR F		,		Weight:	2.35	lbs. / ft.	Wa	all thickness	or gauge N	0.	214		
1	ainless Steel	5. Fiberglass	, (7. PVC		9. ABS	11	. Other (spe	ecify)				
2. Brass 4. Ga	alvanized	6. Concrete	Tile	8. RMP (SR)	1	0. Asbestos-Ce	ment 12	. None used	d (open hole	;)			
SCREEN OR PERFORA	TION OPENINGS	S ARE:											
1. Continuous slot	3. Mill slot	5.	Gauzed wra	apped	7	Torch cut	9. l	Drilled hole	s	11. Nor	те (оре	en hole)	
2. Louvered shutter	4. Key pur	nched 6.	Wire wrapp	ed	(8	. Saw cut	10.	Other (spec	cify)				
SCREEN - PERFORATIO	N INTERVAL	From	40	ft. t	0 60	0 ft.,	From	fi	ł	to	1	ft.	
		From		ft. t	0	ft.,	From	f		to		ft.	
GRAVEL PACK I	NTERVALS:	From	24	ft.	to 6	0 ft.,	From	fi		to		ft.	
		From	1	ft.	to	ft.,	From	fi	t.	to)	ft.	
6 GROUT MATERIALS	1. Neat ce	ment	2. Ceme	ent Grout		3. Bentonite	8	Other	bentoni	te hole	e plug	····	
i .	rom 4	ft. to	24 ft	t., From		ft. to	ft.	, Fron		ft.	to	ft.	
What is the nearest source 1. Septic tank	e of possible con 4. Lateral I	_	7. Pit privy		10. Lives	stock pens	13. In s	ecticide st	orage	15. Oil w	/ell/Gas	well	
2. Sewer lines	5. Cess Po		3. Sewage la	agoon	11. Fuel	storage		andon wate	-			ify below)	
3. Watertight sewer lin			9. Feed yard	- I	12. Ferti	lizer storage							
Direction from well? South						Ū	How many feet? 20 ft.			plus			
From To		ITHOLOGI	C LOG		Fro	m To		LITH	HOLOGI	C LO	3		
	psoil								***********				
	ie sand				_								
	edium sand												
	70000000000000000000000000000000000000	4	· · · · · · · · · · · · · · · · · · ·										
									·				

7			Rudi Cardel Adal Principal Adal Adal Adal Adal Adal Adal Adal Ad										
7 Contractor's or Land						reconstructe		plugged	d unde	er my juri	isdiction	and	
was completed on (mo/	, ,	9/22/2015	' a			the best of my	•						
Kansas Water Well Cor					vell record	l was completed	d on (mo/day	/year)	9/24/20	15			
under the business nam	ne of Harp W	Vell and Pur	mp Servi	ce	by	/ (signature)	•	Toda	IS.	$H\alpha$	rh		