WATER WELL REC	CORD	Form W	WC-5	Division of Water	r Resources App. No	o. L		
		Fraction					ange Number	
County: Sedgwick, KS 67135		1/4 SE 1/4 SV		33	T 26 S		□E ØW	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
				Elevation: (in decimal degrees)				
				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: Alisa Cox				Collection Method:				
RR#, Street Address, Box #: 3415 Pepper Ridge St. City, State, ZIP Code Wichita KS 67205				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, Zir Code	· Wichita.	KS 67205		Est. Accuracy:	3 m. □ 3-5 m. □	5-15 m.	>15 m	
3 LOCATE WELL					у 11.9 (0 - 2 11.1,	<u> </u>		
WITH AN "X" IN								
SECTION BOX:	Depth(s) Groundwater Encountered (1).20 ft. (2) ft. (3) ft.							
N	WELL'S STATIC WATER LEVEL. 20							
	Pump test data: Well water wasft. after							
w w E	NE - E Bore Hole Diameter 10							
W X E	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Wes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Glamped Welded Threaded								
Casing diameter .5								
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Specify)								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 40' ft. to 60 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 60 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From .3								
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
☐ Septic tank ☑ Sewer lines		<u> </u>	☐ Livestock p ☐ Fuel storage			er (specify b	elow)	
☐ Watertight sewer l	ines 🔲 Seepage p		Fertilizer st	orage 🔲 Oil well/ga				
Direction from well .								
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	GGING IN	TERVALS	
0 3 Topsoi	<u> </u>		 		 			
3 20 Clav	01	· · · · · · · · · · · · · · · · · · ·	 			·		
20 60 Mediur	n Sand		 					
			 					
			 					
			++				······································	
			 					
		· · · · · · · · · · · · · · · · · · ·	1					
	•							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .10/8/2015 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 10/8/2015 by (signature) 1. 2000								
under the business name	ofPremier Pun	np & vveli Service, l	nc.	. by (signature) V.V.	MANUAL T	A YO	<u>ر</u>	
INSTRUCTIONS: Use typev Kansas Department of	vriter or ball point pen of Health and Environs	. <u>PLEASE PRESS FIRML</u> nent, Bureau of Water, Geo	rand <u>PRINT</u> cle plogy Section, 10	ariy. Piease fill in blanks 00 SW Jackson St., Suite	and check the correct : 420. Topeka. Kansas	answers. Sene 66612-1367	a one copy to	
Telephone 785-296-5524. Ser							us at	