WATER WELL RE					ision of Water		W. 11 PD		
Original Record					ources App. No.		Well ID Range Number		
County: Section of WAT			Fraction JW 45W45W 4	Sec	tion Number	Township Numb			
2 WELL OWNER: Last			First:						
The state of the s									
Address: //till + (VIII)									
Address:									
City:		State:	ZIP:	,		ACCT TOTAL	122 10 01181		
3 LOCATE WELL	DEPTH	OF COM	PLETED WELL: .	/ ^	1		(decimal degrees)		
WITH "X" IN	SECTION BOX: Depth(s) Groundwater Encountered: 1)								
N	N 2) ft. 3) ft., or 4)					☐ Dry Well Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27			
WELL'S STATIC WATER LEVEL:									
	neasured on (mo-day-								
above land surface, measured on (mo-day) Pump test data: Well water was					(/				
w hours pumping				gom	m Online Manner:				
Well unter unc 79				ì.		ao wappers			
x-SWSE	oumping .20	gpm	C Elemetic		□ Conned Lord □ TOC				
S Estimated Yield:			gpm (-6)	6 Elevation: Ground Level L 1					
S F	Sore Hole D	riameter: ./.G	1.!.? in. to	ft. and					
mile in. to									
1			a Committee and The		10 🗀 👓 🕆	iold Water Cornelius !-	Mara		
Domestic: Household			r Supply: well ID : how many wells?			e: well ID	ase		
Lawn & Garden			harge: well ID			i □ Uncased □ (
Livestock	well ID								
2. Irrigation 9. Environmental Remediation: well ID									
3. Feedlot			Soil-Vapor I	Extraction	b) Open	Loop Surface Dis	scharge 🔲 Inj. of Water		
4. 🗌 Industrial 🗼		Recovery	☐ Injection	`					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☑ No If yes, date sample was submitted:									
Water well disinfected? ☑ Yes ☐ No									
Water well disinfected? ☑ Yes ☐ No 8 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other									
Casing diameter									
Casing height above land surface 12 in. Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
SCREEN-PERFORATED	INTERVA	LS: From .	.45 ft. to .60	ft., From	ft. to	ft., From			
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From									
Grout Intervals: From									
Nearest source of possible contamination:									
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well									
☐, Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
(Tother (Specify)									
Direction from well?	nt		Distance from we	:II?	5.t	ft.			
10 FROM TO		THOLOGI		FROM	TO LI	THO. LOG (cont.) or	PLUGGING INTERVALS		
0 1 Ta	ر ار م								
1 11 0	A. j						•		
11 42 Med	1 Grave								
42 43 6/4				1					
43 GO Ma	gove	!							
				<u> </u>					
Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year) This Water Well Record was completed on (mo-day-year)									
under the business name of Life North Dr. Life Signature									
Mail 1 white copy along w	rith a fee of \$	5.00 for each	constructed well to: Kan	sas Department	of Health and Env	ironment, Bureau of Wa	ter, GWTS Section,		
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									