WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick NW 1/4 NW1/4 NW32 1/4 26 Т s R 1W E/W Distance and direction from nearest town or city street address of well if located within city? 3540 N. Maize Rd. (Sunstone Apts.) Approx. 1000' E of Maize Rd., 200' N. of Silver Fox Wichita, Kansas VANTAGE PROPERTIES WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 1605 N. Waterfront Parkway CITY, STATE: Wichita, Kansas ZIP CODE: Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION: Depth of groundwater Encountered: ft ft. ft. WELL'S STATIC WATER LEVEL 28 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Pump test data: Well water was NW ft. after hours of pumping @ NE map Est. Yield: gpm Well water was ft. after hours of pumping @ gpm ≌ 12 to 80 Bore Hole Diameter and ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 1. Domestic 3. Feedlot 12. Other (Specify below) 10. Monitoring well 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO) (YES submitted Was Water Well Disinfected? TYPE OF CASING USED: 5 9. Other (Specify below) CASING JOINTS: Glued Threaded 7. Fiberglass 5. Wrought Iron 1. Steel 3. RPM (SR) Welded Clamped SDR-26 8. Concrete tile 6. Asbestos-Cement 2. PVC 4. ABS Blank casing diameter 5 to 60 Dia. in. ft.. in to ft. Dia in. ft. to 12 2.35 Wall thickness or gauge No. Casing height above land surface: Weight: lbs. / ft. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 3. Stainless Steel 7. PVC 9. ABS 11. Other (specify) 5. Fiberglass 1. Steel 2. Brass 6. Concrete Tile 8. RMP (SR) 12. None used (open hole) 4. Galvanized 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 6. Wire wrapped 8. Saw cut 10. Other (specify) 4. Key punched SCREEN - PERFORATION INTERVAL ft. 80 ft., From to From ft. From ft. to ft.. From ft ft. **GRAVEL PACK INTERVALS:** 24 ft. to From ft.. From ft. to ft. From ft. ft., to From to ft. **GROUT MATERIALS:** Other 6 2. Cement Grout bentonite hole plug 1. Neat cement 3. Bentonite Grout Intervals: 4 ft. 24 From ft.. From ft. to ft., From ft. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool 9. Feed vard 12. Fertilizer storage 3. Watertight sewer line 6. Seepage pit Northwest How many feet? 10 ft. plus Direction from well? То LITHOLOGIC LOG From LITHOLOGIC LOG From Τo 0 topsoil 3 18 clay 18 45 finesand 45 clay and fine sand 60 60 80 medium sand Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and was completed on (mo/day/year) 4/22/16 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/27/16 under the business name of Harp Well and Pump Service Todd S. Harb by (signature)