	ECORD Form \ Correction \[ \subseteq \cappa_hang			vision of Water ources App. No.		Well ID	
1 LOCATION OF W	AZVER WELL	Fraction F.CW		tion Number	Township Number	r Range Number R □ E WW	
2 WELL OWNER: Last Name Street or Rural Address where well is located (if unknown, distance and							
direction from hearest town of microcarpin). If at owner statutes, check fiere.							
City: William State: Kel ZIP: 67204							
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COM Depth(s) Groundwater I	PLETED WELL:	35 A	. 5 Latitud	e:	(decimal degrees)	
SECTION BOX:				~~~~	de:	(decimal degrees)	
N	WELL'S STATIC WATER LEVEL: 12 Source for Latitude/Longitude:						
	below land surface, measured on (mo-day-yr).						
NWNE	□ above land surface, measured on (mo-day-yr)						
w	after hours pumping gpm Online Mapper:						
SWSE	Well water was						
				6 Elevatio	n:ft.	☐ Ground Level ☐ TOC	
S	Estimated Yield: Bore Hole Diameter:	7 in. to	. ft. and	Source: [	☐ Land Survey ☐ G	PS 🔲 Topographic Map	
1 mile  in. to							
1. Domestic:		er Supply: well ID		10. □ Oil F	ield Water Supply: lea	se	
Household	<ol><li>Dewatering</li></ol>	g: how many wells?		<ol><li>Test Hol</li></ol>	e: well ID		
Lawn & Garden		charge: well ID :: well ID			i ☐ Uncased ☐ Genal: how many bores?		
2. Irrigation		Remediation: well ID			d Loop  Horizontal		
3.  Feedlot	☐ Air Sparge		xtraction	b) Open	Loop Surface Disc	harge 🔲 Inj. of Water	
4. Industrial Recovery Injection 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? Yes Yes Ale Sample was submitted:							
Water well disinfected?  Yes  No  8 TYPE OF CASING USED:  Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel Fiberglass FVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)  SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.  Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.							
Nearest source of possible contamination:							
☐ Septic Tank	☐ Lateral Lines		_	Livestock Pens	☐ Insecticid		
Sewer Lines Watertight Sewer Lin	☐ Cess Pool es ☐ Seepage Pit	☐ Sewage Lag ☐ Feedyard	oon 📋	Fuel Storage Fertilizer Storag		ed Water Well Gas Well	
1 Other (Specify)	west		ء ح*				
Direction from well?	LITHOLØG	Distance from we	FROM		THO I OG (cont.) or P	LUGGING INTERVALS	
0 3	Top	rel	) IROM	7	IIIO. LOG (cont.) of I	LOGOING INTERVALS	
3 78	Fin	tan	and				
18 35	Cerare -	tan o	2000				
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Aconstructed,   reconstructed, or   plugged							
under my jurisdiction an Kansas Water Well Con	d was completed on (ma	-day-year)	2-7 and	his record is tr	ue to the best of my	knowledge and belief.	
Kansas Water Well Con under the business name	tractor License No	This Wat	er Well Reg	ord was comple	etection (mo day year	1)	
Mail 1 white copy alor	ng with a fee of \$5.00 for each	constructed well to: Kans	as Department	of Health and Env	ironment, Bureau of Wate	r, GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							