			WATER	WELL RE	CORD	Form WV	NC-5 P	′.SA 82a-12	12		
1 LOCATION OF W	VATER V	VELL:	FRACTION			SEC	TION NUMBE	R TOWNSH	IP NUMBER	RANGE N	IUMBER
Sedgwick			NE 1/	4 NE	1/4 SE	1/4	32	下 2	26 S	R 1	W = KW
Distance and direction from nearest town or city street address of well if located within city?											
8842 W. V	Vestla	kes Ct.		Wichita,	Kansas						
2 WATER WE	LL OW	NER: ROBL	CONSTI	RUCTION	Ī						
RR#,ST. ADDR	ESS,B	OX #: 5842 \	W. 21st N.						Board of Agri	culture, Division of	Water Resource
C	ITY, ST	ATE: Wichi	ta, Kansas	3		Z	IP CODE:		Application Nur	nber:	
3 LOCATE WELL	'S LOCA	ATION 4 DE	EPTH OF COI	MPLETED WI	ELL: 7	0 ft.		ELEVATION:			
WITH AN "X" IN	N SECTION	ON BOX:				ft			ft.		ft.
1	N		h of groundwa								
		WEL	L'S STATIC \				W LAND S	URFACE MEAS		-,-,-	2/16
NW.		NE		Pump test dat		ter was		ft. after	hours	of pumping @	gpm
w Mile	1	1 1	Est. Yield:	gpm		ater was		ft. after	hours	of pumping @	gpm
		XII	e Hole Diame			to '	70 f	t. and	in.	to	ft.
- SIA			L WATER TO					and garden on	9. Dewateri	ng 11. Inje	ection well
SW SE 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify belo											pecify below)
			rrigation	4. Industrial			•	nditioning	10. Monitorin	i g we ii vhat mo/day/yr	alames sew
	S		s a chemicai/bai nitted	ctenological san	nple submitted to	Department?	Y E\$	NO Water Well Disir		YES	NO
EL TYPE OF	CACINI		intico							=	
5 TYPE OF 1. Steel		G USED: 3. RPM (SR)	5. Wroug	tht Iron	7. Fiberglass	9. C	ther (Specif	y below) CA	SING JOINTS: (Glued	Threaded
	_	4. ABS	6. Ashes	tos-Cement	8. Concrete	tile SD	R-26			Welded	Clamped
2. PVC						_			Die		
Blank casing dia	meter	5 in		50 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height al	bove la	nd surface:	12 in.,		Weight:	2.35	bs. / ft.	Wall th	nickness or gaug	ge No214	}
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Steel	3. S	tainless Steel	Fibergla	ss 🤇	7. PVC	9. A	ABS	11. O	ther (specify)		
2. Brass	4. G	Salvanized	6. Concrete	e Tile	8. RMP (SR)	10. A	Asbestos-Ce	ment 12. N	one used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous		3. Mill slot		Gauzed wr	anned	7 T o	rch cut	9 Dril	led holes	11. None (onen hole)
									, ,		
2. Louvered sh	nutter	4. Key pun	iched 6	6. Wire wrapp	ed	8. Sa	w cut	10. Oth	er (specify)		
SCREEN - PERF	ORATIO	ON INTERVAL	From	50	ft. to	70	ft.,	From	ft.	to	ft.
			From		ft. to)	ft.,	From	ft.	to	ft.
CBV/EI	DVCK	INTERVALS:	From	24	ft. t						
GRAVEL	- FACR	INTERVALS.					ft.,	From	ft.	to	ft.
			From		ft. t	0	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug									ug		
Grout Interval	ls:	From 4	ft. t	o 24 f	t., From	ft.	to	ft.,	From	ft. to	ft.
What is the neare	st sour	ce of possible conf	tamination:	7 Dit		10 Livestes	k nane	40.1		45.00	
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insect							icide storage	15. Oil well/			
2. Sewer lines		5. Cess Po	ol	8. Sewage I	agoon	11. Fuel sto	rage	14. Aband	ion water well	16. Other (s	pecify below)
3 Watertight s	ewer li	ne 6. Seepage	pit	9. Feed yard	i	12. Fertilize	r storage				
Direction from we		East						How m	any feet? 10 f	t. plus	
From To	$\overline{}$	L	ITHOLOG	IC LOG		From	То		LITHOLO		
0 3	to	psoil									
3 20		av									
20 45		ne sand									
45 70		edium sand									
							ļ				
			10.0				ļ				
						_	ļ				
	-					ļ	-				
							-	ļ		***************************************	
						 	 	-			
		4-74					L,				
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and											
was completed	on (mo	o/day/year)	6-22-16		and this record	is true to the	e best of my	knowledge and	belief.		
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 6/24/16											
under the busin	ness na	me of Harp W	ell and Pu	ımp Servi	ce	by (si	gnature)	τ	odd, s	Harr)
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp											