	WATER WE	LL RECORD	Form WV	VC-5 K	SA 82a-121	2		
1 LOCATION OF WATER WELL:	FRACTION	~		TION NUMBER		-	RANGE NU	_
Sedgwick	SE 1/4	SW 1/4 SW	1/4	27	T 20	<u> </u>	R 1W	/ E/W
Distance and direction from nearest town or ci	ity street address of well if	located within city?						
3805 N. Estancia	Wichita, Ka	nsas						
2 WATER WELL OWNER: RO	BL CONSTRUC	CTION						
RR#,ST. ADDRESS,BOX #: 584	12 W. 21st N.					Board of Agri	culture, Division of W	ater Resource
CITY, STATE: Wi	chita, Kansas		ZI	P CODE:		Application Num	sber:	
3 LOCATE WELL'S LOCATION 4	DEPTH OF COMPLE	TED WELL:	<b>40</b> ft.		ELEVATION:			
WITH AN "X" IN SECTION BOX:	ב Depth of groundwater E		ft.			ft.		ft.
	WELL'S STATIC WAT				JRFACE MEASU		lav/vr: 7/19	
			ater was	W LAND SC	ft. after		of pumping @	
NW NE	Est. Yield:	-	ater was		ft, after		of pumping @	gpm gpm
W Wile	Bore Hole Diameter	12 in.	to 4	10 ft.		in.	to	ft.
	WELL WATER TO BE					9. Dewateri	44 1-1-	ction well
swse			ater supply	7. Lawn a	and garden only			ecify below)
	2. Irrigation 4. in	dustrial 6. Oil field	water supply	8. Air cor	ditioning	10. Monitorir		
S		ogical sample submitted to	Department?	YES	NO	; If yes, v	what mo/day/yr w	
	submitted			Was V	Vater Well Disint	ected?	YES I	10
5 TYPE OF CASING USED:	5. Wrought Ire	on 7. Fiberglas	s 9. O	ther (Specif;	below) CAS	ING JOINTS: (	Glued	Threaded
1. Steel 3. RPM (	SR)	-	SD.	R-26			Welded	Clamped
2. PVC 4. ABS	6. Asbestos-C		tile					
Blank casing diameter 5	in. to $2$ :	5 ft., Dia.	in.	to	ft.,	Dia.	in. to	ft,
Casing height above land surface:	12 in.,	Weight:	2.35 II	bs. / ft.	Wall th	ickness or gaug	ge No214	
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:							
Steel 3. Stainless Steel	<ol><li>Fiberglass</li></ol>	7. PVC	9. A	BS	11. Ot	ner (specify)		
2. Brass 4. Galvanized	<ol><li>Concrete Tile</li></ol>	8. RMP (SR)	) 10. A	sbestos-Cer	ment 12. No	ne used (open	hole)	
SCREEN OR PERFORATION OPENI	NGS ARE:							
1. Continuous slot 3. Mill		uzed wrapped	7. To	rch cut	9. Drill	ed holes	11. None ( o	pen hole)
		re wrapped		w cut	10 Oth	er (specify)	•	
2. Louvered Stidites 4. Key	punched 6. Wi	• •		W Cut	10. 0111	si (specily)		
SCREEN - PERFORATION INTERVAL	L From	25 ft.	to <b>40</b>	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	<b>24</b> ft.	to <b>40</b>	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1 Nes	- 4 4	0.0						
2. Sometime for plug							•	
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to What is the nearest source of possible contamination:							ft.	
1		Pit privy	10. Livestoc	k pens	13. Insecti	cide storage	15. Oil well/G	ias well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)								ecify below)
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage								
Direction from well? West	50 p.1	•		_	How ma	ny feet? 10 f	ft. plus	
From To	LITHOLOGIC	LOG	From	То			GIC LOG	
0 3 topsoil			1					
3 11 clay								
11 24 fine sand								
24 40 medium sai	nd							
			<u> </u>	<b>ļ</b>				
				<del>                                     </del>				
			-	<b> </b>				
				<b> </b>		<del></del>		
				1				
	*		<b>—</b>	<b>†</b>				
7 Contractor's or Landowner's Cer	tification: This water w	ell was 1 Construct	ed) 2, re	constructe	d or 3,	plugged	under my jurisdict	ion and
was completed on (mo/day/year)  7/19/16  and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 7/20/16								
under the business name of Harp Well and Pump Service by (signature)  Todd S. Harp								
10005. TWP								