

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: Sedgwick	FRACTION SE 1/4 NE 1/4 NW 1/4	SECTION NUMBER 30	TOWNSHIP NUMBER T 26 S	RANGE NUMBER R 1W E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?
11331 W. Wilkerson Ct. Maize, Kansas

2 WATER WELL OWNER: KLAYSMEYER CONSTRUCTION	Board of Agriculture, Division of Water Resource
RR#, ST. ADDRESS, BOX #: 10008 W York	Application Number:
CITY, STATE: Wichita, Kansas	ZIP CODE:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 70 ft. ELEVATION:
	Depth of groundwater Encountered: _____ ft. WELL'S STATIC WATER LEVEL 25 FT. BELOW LAND SURFACE MEASURED ON 7/13/16 Pump test data: Well water was _____ ft. after _____ hours of pumping @ _____ gpm Est. Yield: _____ gpm Well water was _____ ft. after _____ hours of pumping @ _____ gpm Bore Hole Diameter 12 in. to 70 ft. and _____ in. to _____ ft. WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 9. Dewatering 11. Injection well 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well 12. Other (Specify below) Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted Was Water Well Disinfected? YES NO

5 TYPE OF CASING USED:		CASING JOINTS: Glued Threaded	
1. Steel	3. RPM (SR)	5. Wrought Iron	7. Fiberglass
2. PVC	4. ABS	6. Asbestos-Cement	8. Concrete tile
Blank casing diameter 5 in. to 50 ft., Dia. _____ in. to _____ ft.		SDR-26 Welded Clamped	
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No. .214			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1. Steel	3. Stainless Steel	5. Fiberglass	7. PVC
2. Brass	4. Galvanized	6. Concrete Tile	8. RMP (SR)
SCREEN OR PERFORATION OPENINGS ARE:		9. ABS	
1. Continuous slot	3. Mill slot	5. Gauzed wrapped	7. Torch cut
2. Louvered shutter	4. Key punched	6. Wire wrapped	8. Saw cut
SCREEN - PERFORATION INTERVAL		9. Drilled holes	
From 50 ft. to 70 ft.,	From _____ ft. to _____ ft.	11. None (open hole)	
GRAVEL PACK INTERVALS:	From 24 ft. to 70 ft.,	10. Other (specify)	
From _____ ft. to _____ ft.	From _____ ft. to _____ ft.		

6 GROUT MATERIALS:		Other bentonite hole plug	
1. Neat cement	2. Cement Grout	3. Bentonite	
Grout Intervals: From 4 ft. to 24 ft.,	From _____ ft. to _____ ft.	From _____ ft. to _____ ft.	From _____ ft. to _____ ft.
What is the nearest source of possible contamination:			
1. Septic tank	4. Lateral lines	7. Pit privy	10. Livestock pens
2. Sewer lines	5. Cess Pool	8. Sewage lagoon	11. Fuel storage
3. Watertight sewer line	6. Seepage pit	9. Feed yard	12. Fertilizer storage
Direction from well? North	How many feet? 10 ft. plus		

From	To	LITHOLOGIC LOG	From	To	LITHOLOGIC LOG
0	3	topsoil			
3	18	clay			
18	47	fine sand			
47	70	medium sand			

7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 7/13/16 and this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. 236	This water well record was completed on (mo/day/year) 7/15/16
under the business name of Harp Well and Pump Service	by (signature) Todd S. Harp