WATER WELL R		WWC-5		ivision of Wate				
Original Record	Correction	e in Well Use		sources App. N		Well ID		
1 LOCATION OF WATER WELL:				ection Number				
County: Sedgwick	SE 1/4 SE 1/4 NW 1/							
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: Trademark Homes direction from nearest town or intersection): If at owner'						's address, check here:		
Address: 7540 W Northwind Ste 100 Address: 8215 W Kackley Cir. Wichita, KS								
140								
City: Wichita State: KS ZIP: 67205								
3 LOCATE WELL	4 DEPTH OF COMPLETED WELL:60 ft.				ıda.	(decimal degrees)		
WITH "X" IN			i i					
SECTION BOX:	SECTION BOX: Depth(s) Groundwater Encountered: 1)15				Longitude:			
N	WELL'S STATIC WATER LEVEL:36 ft.							
below land surface, measured on (mo-day-yr)2/22/16					Source for Latitude/Longitude:			
 					(,			
NE	Pump test data: Well v			1	(WAAS enabled? ☐ Yes ☐ No)			
	after2 hours	anm		☐ Land Survey ☐ Topographic Map				
W E				☐ Online Mapper:				
SW SE	Well water was ft. after hours pumping gpm							
						☐ Ground Level ☐ TOC		
S	Doro Holo Diometer	10.5 in to 60	ft and		Source: Land Survey GPS Topographic Map			
mile					Other			
Time II. U								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. ☐ Public Water Supply: well ID								
1. Domestic:								
Household	6. Dewatering: how many wells?				11. Test Hole: well ID			
Lawn & Garden								
Livestock	8. Monitoring: well ID							
2. Irrigation	9. Environmental Remediation: well ID							
3. Feedlot								
4. Industrial	☐ Recovery							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? ■ Yes □ No								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
Casing diameter								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No. SDR-26								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel Fiberglass ■ PVC Other (Specify)								
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .50 ft. to .60 ft., From ft. to ft., From ft. ft.								
GRAVEL PACK INTERVALS: From36 ft. to60 ft., From ft. to ft., From ft., From ft.								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Grout Intervals: From 3 ft. to 36 ft., From ft. to ft., From ft. to ft. ft. ft. ft.								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
■ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify) Direction from well? South Distance from well? 35								
Direction from well? . So	uth	Distance from v	well? .35		ft.			
10 FROM TO	LITHOLO		FROM	TO	LITHO. LOG (cont.) or	PLUGGING INTERVALS		
	Γop Soil				· · · · · · · · · · · · · · · · · · ·			
	Clay					MONTH MANIFEST TO THE STATE OF		
	Med. Gravel							
				+ +				
	Clay			-				
37 60 h	Med. Gravel							
			Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) .2/22/.16 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed in (mo day year) 3/1/16								
under the business name of Weninger Drilling LLC Signature								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks			KSA 82a-		·	Revised 7/10/2015		