WATER WELL R			WWC-5			vision of Wate	- 1				
Original Record						ources App. N			Well ID		
1' LOCATION OF W			Fraction Wyll	1/1/2	SE Se	ction Number	r	Township Numb		nge Number	
County: OWNED: I		= 00	First:			rol Address	vybo.		R		
Provinces:											
Address: 34.07 Sand Plum and Address: Oity: Wielito State: ZIP:67205 3409 Sand Plum cir											
3 LOCATE WELL					76	1					
WITH "X" IN	4 DEPTH	1 OF CON	MPLETED WEL	L; .	£ بي						
SECTION BOX:	Depth(s) Groundwater Encountered: 1)								(decimal degrees)		
N											
	☐ below	□ below land surface, measured on (mo-day-yr) □ GPS (unit make/model:)									
NW NE	□ above	above faild surface, measured on (mo-day-yr)						(WAAS enabled? ☐ Yes ☐ No)			
w		Pump test data: Well water was					☐ Land Survey ☐ Topographic Map ☐ Online Mapper:				
		Well water was ft.									
SW - 1 -1 SE	after	after hours pumping gpm								17 1 D mod	
	Estimated Yield:gpm Bore Hole Diameter: 7in. to 1.5ft. ar						6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
S 1 mile	Bore Hole					Source		Other			
1 mile in. to ft. Uther											
1. Domestic:			ater Supply: well II)		10. 🔲 Oi	l Fiel	ld Water Supply: le	ase		
☐ Household			ng: how many wells			Test l	Hole:	well ID			
Lawn & Garden	7. ☐ Aquifer Recharge: well ID						☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?				
Livestock 2. Irrigation			tal Remediation: we					al: now many bores Loop Horizont			
3. Feedlot		Air Sparg						.oop Surface Di			
4. Industrial		Recovery	☐ Injection					specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? ☐ Yes MAZNo											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter											
Casing height above land surface											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From . 2.5 ft. to . 3.5 ft., From ft., From ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Sentonite Other											
Grout Intervals: From											
Nearest source of possible contamination:											
☐ Septic Tank☐ Sewer Lines	_	Laterai Line Cess Pool	es			Livestock Pe Fuel Storage			ide Storage oned Water		
Watertight Sewer Lir		Seepage Pit				Fertilizer Sto			ll/Gas Well	** C11	
Other (Specify)	Fas				, ,	a '	Ū	_			
Direction from well?	A		Distance from	m wel				ft.	DIVIGORY	G D IONE DILLE	
10 FROM TO		LITHOLO	GIC LUG)		FROM	TO	LIII	HO. LOG (cont.) or	PLUGGIN	GINTERVALS	
6 77	10/	F	o ton		and	7					
77 35	Core	rae	- I- m		Que made	9					
	~~										
			77.7		Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ***constructed, ** reconstructed, or ** plugged under my jurisdiction and was completed on (mo-day-year)											
under my jurisdiction ar	id was comp	leted on (n	nozday-year) .6.	28	-16and	this record	s truc	e to the best of my	knowled	ge and belief.	
Kansas Water Well Con	tractor Lic	ense No.	This This	Wate	er Well Re	ord was con	nplet	ed on (mo-day-ye	ar) (3.8.7.6.	
Mail 1 white copy alo	ng with a fee of	\$5.00 for eac	ch constructed well to:	Kanca	is Denartment	of Health and	invir	onment Bureau of Wa	ter GWTS	ection	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015											