WATER WELL RECORD	Form WV	VC-5 K	SA 82a-1	212		
1 LOCATION OF WATER WELL: FRACTION	f	SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER				
Sedgwick SW 1/4 NW 1/4 S Distance and direction from nearest town or city street address of well if located within city?	SE 1/4	32	Т	26 S	R I	W E/W
3151 N. Den Hollow Wichita, Kansas						
2 WATER WELL OWNER: SHARP HOMES					····	
RR#,ST. ADDRESS,BOX #: 2131 N. Collective Ste. #A				Board of Agr	iculture, Division of	Water Resource
CITY, STATE: Wichita, Kansas		IP CODE:		Application Nur	nber:	
3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL:	85 ft.		ELEVATION	1 :		
Depth of groundwater Encountered:	ft			ft.		ft.
WELL'S STATIC WATER LEVEL 28		W LAND SU		SURED ON mo/o		14/16
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ell water was ell water was		ft. after ft. after		s of pumping @ s of pumping @	gpm gpm
Est. Yield: gpm We	to {	35 f.		in.	to	ft.
	_			9. Dewateri	ng 11. Inj	ection well
	c water supply			<u>اریانی</u> 10. Monitoria		Specify below)
2. Irrigation 4. Industrial 6. Oil fie Was a chemical/bacteriological sample submitte		YES	NO		w <u>hat</u> mo/day/yr	was sample
submitted			Vater Well Dis	sinfected? (YES	NO
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberg	glass 9. O	ther (Specify	below) C	ASING JOINTS: (Glued	Threaded
1. Steel 3. RPM (SR) 6. Asbestos-Cement 8. Concr	rete tile SD	R-26			Welded	Clamped
Blank casing diameter 5 in. to 65 ft., Dia		to	ft.,	Dia.	in. to	ft.
Casing height above land surface: 12 in., Weight.		bs. / ft.		thickness or gaug		
TYPE OF SCREEN OR PERFORATION MATERIAL:	2.55	DS. / II.	**ai:	i illiokiless or gau	ge No21	7
Steel 3. Stainless Steel 5. Fiberglass 7. PVC) 9, A	BS	11.	Other (specify)		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. A	sbestos-Cer	nent 12.	None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE:						
1. Continuous slot 3. Mill slot 5. Gauzed wrapped		rch cut		rilled holes	11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	(8. Sa	w cut	10. O	ther (specify)		
SCREEN - PERFORATION INTERVAL From 65 ft.	to 85	ft.,	From	ft.	to	ft.
From ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS: From 24 ft.	to 85	ft.,	From	ft.	to	ft.
From ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	;	3. Bentonite		Other bent	onite hole p	lug
Grout Intervals: From 4 ft. to 24 ft., From What is the nearest source of possible contamination:	om ft.	to	ft.,	From	ft. to	o ft.
1. Septic tank 4. Lateral lines 7. Pit privy	10. Livestoc	k pens	13. Inse	cticide storage	15. Oil well	/Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon	9 Source Indoor 11 Fuel storage 44 Av. 4 4 16 Other (specify h					
3 Watertight sewer line 6. Seepage pit 9. Feed yard	12. Fertilize	r storage				
Direction from well? North		T = 1	How	many feet? 10 f		
From To LITHOLOGIC LOG 0 3 topsoil	From	То		LITHOLC	GIC LOG	
0 3 topsoil 3 20 clay		 	******		· · · · · · · · · · · · · · · · · · ·	
20 40 fine sand						
40 64 clay						
64 85 medium sand						

		<u> </u>		#		
	-	 				

7 Contracted as Landaugada Codification. This water will was 4		e e notaurat - d	or 3	nlugged	under my lusical	otion and
Contractor's or Landowner's Certification: This water well was 1. Construction was completed on (mo/day/year) 10/14/16 and this rev		constructed			under my jurisdi	CHOIL GING
,,,,,,,	cord is true to the	•	-		17/17	
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/17/16						
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp						