WATER WELL R		WWC-5		sion of Water				
	Correction			urces App. No.		Well ID	77	
		Fraction NW¼ NW¼ SW¼		tion Number 6	Township Number		ge Number □ E ■ W	
2 WELL OWNER: Last Name: NICHOLSON First: BRUCE   Street or Rural Address where well is located (if unknown, distance and								
Business: Address: 7180 N 119TH ST W								
Address:								
City: MAIZE	State: KS	ZIP: 67101						
3 LOCATE WELL WITH "X" IN		MPLETED WELL:	5 Latitude	5 Latitude:(decimal degrees)				
SECTION BOX:		Encountered: 1)1	Longitud	Longitude:(decimal degrees)				
N	2)ft. WELL'S STATIC W		l Datum: WGS 84		83 🗆 NAD 27			
	below land surfac		Source for Latitude/Longitude:  GPS (unit make/model:)					
NW NE	above land surfac	e, measured on (mo-day-		WAAS enabled?				
	Pump test data: Well	<b>.</b>		Survey Topogra		•		
W		rs pumping	☐ Onlin	☐ Online Mapper:				
SW SE	Well water was ft.  after hours pumping gpm							
	Fstimated Vield: 18	+ onm	6 Elevation:ft. Ground Level TOC					
S	Bore Hole Diameter: 10.5 in. to 80 ft. and Source: Land Survey GPS Topographic							
mile  in, to ft.								
7 WELL WATER TO 1. Domestic:		ater Supply: well ID		10 C Oil Ei	old Water Sunnier In	200		
☐ Household	6. ☐ Dewateri		Oil Field Water Supply: lease     Test Hole: well ID					
Lawn & Garden					☐ Cased ☐ Uncased ☐ Geotechnical			
☐ Livestock	8. Monitoring: well ID							
2. Irrigation 3. Feedlot					a) Closed Loop			
4. Industrial	☐ Recovery		xtraction	13. $\square$ Other	(specify):	charge []	inj. or water	
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):								
Water well disinfected? Wes Cl No.								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5 in to 80 ft., Diameter in to ft., Diameter in to 5								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. ft. o ft. to								
GRAVEL PACK INTERVALS: From 23 ft. to 80 ft., From ft. to ft., From ft. to ft.								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other								
Nearest source of possible contamination:								
■ Septic Tank								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify) Direction from well? SOUTH EAST Distance from well? 100+								
Direction from well? .9.9.9						DI LICONIO	2 DITERVALO	
	CP SOIL	GIC LUG	FROM	10 LII	HO. LOG (cont.) or	LLUGGING	JINIEKVALS	
	CLAY							
	IED GRAVEL							
	LAY							
54 80 M	IED GRAVEL							
			Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 11/15/2016 and this record is true to the best of my knowledge and belief								
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (pag-day-year) 11/22/2016								
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdhcks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								