WATER WELL RECORD F	orm WV	VC-5 P	(SA 82a-121	2			
1 LOCATION OF WATER WELL: FRACTION	SEC	TION NUMBE		RANGE NUMBER			
Sedgwick SW 1/4 SW 1/4 NE	1/4	13	T 20	<u> </u>	R	1W	E/W
Distance and direction from nearest town or city street address of well if located within city? East of Sheridan, North of 53rd St. N. Wichita, I	Kancac		(4 plug on 1	normit)			
2 WATER WELL OWNER: WICHITA, CITY OF	XIIISIIS		(4 plug on 1	регине			
RR#,ST. ADDRESS,BOX #: 455 N. Main				Board of Agri	iculture, Divisio	n of Wate	er Resource
CITY, STATE: Wichita, Kansas	Z	IP CODE:		Application Num	nber: 2	201700)98
3 LOCATE WELL'S LOCATION 4 DEPTH OF COLOR WELL: 3	8 ft.		ELEVATION:				
N Depth of groundwater Encountered:	ft			ft.			ft.
WELL'S STATIC WATER LEVEL 13	FT. BELC	W LAND S	URFACE MEASU	RED ON mo/d	lay/yr:	6/12/1	7
Pump test data: Well wa			ft. after		of pumping	-	gpn
Est. Yield: gpm Well wa	iter was to		ft. after		s of pumping		gpm
WELL WATER TOXES USED AS:	iO.	fi	i. and	in.		to . Injectio	ft. on well
1. Domestic 3. Feedlot 5. Public wa	ter supply	7. Lawn	and garden only	9. Dewateri	9	-	ify below
2. Irrigation 4. Industrial 6. Oil field w		'	nditioning	10. Monitorin	ng well		
S Was a chemical/bacteriological sample submitted to I submitted	Department?	YES Was	NO No Water Well Disinfo		what mo/day	yr was NO	•
5 TYPE OF CASING USED: 5 Wrought Iron 7 Fibernless	9.0	ther (Specif		ING JOINTS:	Glued		hreaded
1. Steel 3. RPM (SR)		alei (opecii	y below) Cho	ind John J.	Welded		lamped
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete to	ile						
Blank casing diameter 8 in. to ft., Dia.	in.	to	ft., í	Dia. i	in. to)	ft.
Casing height Solvey and surface: 36 in., Weight:	1	bs. / ft.	Wall thi	ckness or gaug	je No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. A	BS	11 O#	ner (specify) N	V/A		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)		sbestos-Ce		ne used (open			
SCREEN OR PERFORATION OPENINGS ARE:				, (- 	,		
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. To	rch cut	9. Drill e	ed holes	11. Nor	ne (ope	n hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. S a	w cut		er (specify) N		• •	,
,				, , , , ,	**		
		ft.,	From	ft.	to		ft.
From ft. to GRAVEL PACK INTERVALS: From ft. to		ft.,	From	ft.	to		ft.
From ft. to		ft.,	From	ft.	to		ft.
a L oppur waterway		ft.,	From	ft. Other hente	to		ft.
Grout Intervals: From ft, to ft., From		3. Bentonite		DUAR.	onite hole	e plug to 24	
What is the nearest source of possible contamination:	ft.	to	ft.,		ft.		
1. Septic talik 4. Lateral lilles	0. Livestoc						
Z. deliver lines							ly below)
o. Tracordinate into	12. Fertilize	r storage					
Direction from well? From To LITHOLOGIC LOG	From	То	How ma	ny teet?	GIC I OC		
TIGHT TO ETTHOLOGIO EGO	0	3	compacted c		GIC LOC		
	3	24	bentonite ho				
	24	38	chlorinated	grâvel			
		l					
7 Contractor's or Landowner's Certification: This water well was 1. constructed	2 re-	constructe	or 3. P	olugged L	under my jun	sdiction	and
(/10/17							
was completed on (mo/day/year) O/12/17 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 6/15/17							
under the business name of Harp Well and Pump Service	ny (si	griatule)		raa S	. Hau	P	