KOLAR Document ID: 1382946

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App. 1			Well ID		
		ATER WEL	.L:	Fraction		ction Numb	er	Township Numb		ge Number	
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S							$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
Z WELL Business:	ast Name:		First:		ection from nearest town or intersection): If at owner's address, check here:						
Address:											
Address:											
City:		1	State:	ZIP:							
3 LOCAT		4 DEPTH	OF COM	APLETED WELL: .	fi	5 Latit	nde.			(decimal degrees)	
	WITH "X" IN SECTION BOX:										
	N 2) ft. 3) ft., or 4) \Box					Dry Well Datum: WGS 84 NAD 83 NAD 27					
		WELL'S ST					Latitude/Longitude				
	1			yr) yr)			init make/model:				
NW	- X ^{NE}	Pump test da					VAAS enabled?		O)		
w	E	~	hours			□ Land Survey □ Topographic Map □ Online Mapper:					
		Well water was ft.			t.						
SW	SE	after hours pumping			gpm	6 Elevation:ft. Ground Level TOC					
		Estimated Yield:gpm			6 1	Source: Land Survey GPS Topographic Map					
-	S pilel	Bore Hole L	Bore Hole Diameter: in. to in. to								
1 mile											
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
Household 6. Dewatering:				ng: how many wells?		11. Test Hole: well ID					
🗌 Lawn &		7. 🗆	7. 🗌 Aquifer Recharge: well ID			Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID							al: how many bores			
	2. Irrigation 9. Environmental Remediation: well II						a) Closed Loop				
3. Eredlot Air Sparge 4. Industrial Recovery											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Nearest source of possible contamination:											
			Lateral Line			Livestock Po			ide Storage		
Sewer I			Cess Pool	Sewage La		Fuel Storage			oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well?											
10 FROM	TO		ITHOLO		FROM	TO		HO. LOG (cont.) or		G INTERVALS	
					Notor						
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my ju	urisdiction ar	nd was compl	leted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.	
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Red	cord was co	mplet	ted on (mo-day-ye	ear)		
under the b	usiness name	e of	WATED	/ELL OW/NER and retain (ne for your rea	ords Fee of ¢	5 00 f	r each constructed	<u></u> 11	<u></u>	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										