WATER WELL RE		WWC-5	Divi	sion of Water			
Original Record		ge in Well Use		urces App. No.		Well ID	
1 LOCATION OF WA		Fraction	1	tion Number	Township Numb		
						R 1 □E ■ W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business: TRADEMARK INC. Address: 7540 W. NORTHWIND direction from nearest town or intersection): If at owner's address, check here:							
Address: SUITE 100	עאוואט			CKLEY CT.			
City: WICHITA	State: KS	ZIP: 67205-2585 V	VICHITA, K	S 6/205			
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:						(4	
WITH "A" IN		Encountered: 1)					
SECTION BOX:	SECTION BOX: 2)				Longitude:		
N	Source fo	or Latitude/Longitude					
	below land surface, measured on (mo-day-yr) 11/21/201					·)	
above land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No)			
	☐ Land Survey ☐ Topographic Map						
W	E after hours pumping				Online Mapper:		
SW SE	Well water was						
	Estimated Yield:25gpm Bore Hole Diameter:10.5 in. to60 ft. and				6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map		
s							
1 mile in. to							
7 WELL WATER TO E		ater Supply: well ID		10 🗆 Oil E	iald Watan County Is		
☐ Household				10. 🗀 Oli ri	e: well ID	ease	
☐ Household 6. ☐ Dewatering: how many wells?				☐ Cased ☐ Uncased ☐ Geotechnical			
					12. Geothermal: how many bores?		
2. Irrigation 9. Environmental Remediation: well ID				a) Closed Loop			
3. Feedlot		e 🔲 Soil Vapor B	xtraction	b) Open	Loop Surface Di	scharge	
4. Industrial Recovery Injection 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected? ■ Yes □ No							
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING JOINTS: ■ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter 5 in to 60 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 15 in Weight Wall thickness or gauge No. SDR-26							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From .50							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Cother							
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
■ Watertight Sewer Lines							
Direction from well? WEST Distance from well? 14.							
10 FROM TO	LITHOLO		FROM			PLUGGING INTERVALS	
	P SOIL						
	AY				7-11-2		
	D GRAVEL						
	AY						
34 60 ME	ED GRAVEL				· · · · · · · · · · · · · · · · · · ·		
			Notes				
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 1.1/21/2017 and this record is true to the best of my knowledge and belief							
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) 12/8/2017 under the business name of WENINGER DRILLING LLC Signature TRAVIS CUTLER							
under the business name o	with a fee of \$5.00 for see	h constructed well to: Ver-	Sig	natureI.KA	VIS CUILER	/ CVTTO G	
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							