		WATE	R WE	LL RE	COF	RD F	orm \	NWC-5	KSA 82a-1	1212			
1 LOCATION OF WAT	FRACTION						SECTION NUMB		SHIP NUMBER	RAN	IGE NUMB	BER	
Sedgwick		SE	1/4	\mathbf{SW}	1/4	\mathbf{SW}	1/4	27	Т	26 s	R	1W	E/W
Distance and direction fro	om nearest town or	city street address	of well if	located w	ithin city	?				· · · · · · · · · · · · · · · · · · ·			1
3829 Estanci		Wichita,									7.2 4		
2 WATER WELL		CCLELLA		[ERP]	RISE	S, INC	•			Board of	Agriculture, Division	of Mate	r Pagauras
RR#,ST. ADDRES		108 E. 34th 1									_	n or water	Resource
		ichita, Kan						ZIP CODE:		Application I	lumber:	·····	
3 LOCATE WELL'S L		4 DEPTH OF	COMPLE	TED W	ELL:	55	•	ft.	ELEVATIO	N:			
N		Depth of groun	dwater E	ncounte	red:			ft.		ft.			ft.
		WELL'S STAT	IC WATE	ER LEVE	EL	12	FT. B	ELOW LAND S	SURFACE MEA	ASURED ON m	o/day/yr:	2/27/18	8
NW	NE		Pump	test dat	a:	Well wat	er was		ft. after	ho	urs of pumping	@	gpm
w Wile		Est. Yield:		gpm		Well wat			ft. after	ho	urs of pumping	@	gpm
	 E	Bore Hole Dia		12			t	o 55	ft. and	in.		to	ft.
⊤ sw	SE SE	WELL WATER						-l. 7 1 3940	and garden o	9. Dewat	ering ¹¹	Injectio	n well
	, I	1. Domestic		edlot								er (Speci	ify below)
IX		IrrigationWas a chemica		dustrial				pply 8. Airco	NO	10. Monito If ve	s, what mo/da	/vr was:	sample
S		submitted	noacterion	ugicai sai	ripie suc	initied to L	ераппе		Water Well Di	•	YES	NO	oampio
5 TYPE OF CA	SING USED:	- 147						9. Other (Speci	ify bolow) C	ASING JOINTS	Glued	Th	readed
1. Steel	3. RPM	∣(SR) ^{5. Wi}	ought Iro	on	7. Fi	berglass		` .	ily below) C	ASING JOINTS	Welded		amped
2. PVC	> 4. ABS	6. As	bestos-C	ement	8. C	oncrete ti	e '	SDR-26			Weided	Cir	ampeu
Blank casing diamet	er 5	in. 1	o 45	5 ft.,		Dia.	ir	n. to	ft.,	Dia.	in. to)	ft.
Casing height above	e land surface:	12	in.,		We	ight:	2.35	lbs. / ft.	Wal	I thickness or ga	auge No	214	
TYPE OF SCREEN						·9····		100.710.	· · · · · · · · · · · · · · · · · · ·	a trickriess or ge	auge No.	214	
	3. Stainless Stee				7. PV	\supset		9. ABS	11.	Other (specify)			
2. Brass	4. Galvanized	6. Cond	rete Tile		8. RN	1P (SR)	1	0. Asbestos-Ce	ement 12.	None used (op-	en hole)		
SCREEN OR PERF		JINGS ARE:								, .	,		
1. Continuous slo	_	li slot	5 Gar	uzed wr	hanne		7	. Torch cut	۵r	rilled holes	11 No.	ne (open	a bolo)
					•						11.110	ie (opei	i ilolej
2. Louvered shutte	er 4.Ke	y punched	6. Wii	re wrap	oed		\(C\)	Saw cut	10. C	Other (specify)			
SCREEN - PERFOR	ATION INTERVA	AL From		45	ft.	to	5:	5 ft.,	From	ft.	to)	ft.
		From			ft.	to		ft.,	From	ft.	to)	ft.
GRAVEL PA	ACK INTERVALS	S: From		24	ft.	to	5	5 ft.,	From	ft.	to)	ft.
		From			ft.	to		ft.,	From	ft.			
6 GROUT MATER	UAIS: 4 No.										to		ft.
<u> </u>	1.140	eat cement ft.		2. Cem				3. Bentonit	te	Other be	ntonite hol		
Grout Intervals: What is the nearest s			to	7	t.,	From		ft. to	ft.,	From	4 ft.	to 24	ft.
1. Septic tank	·	eral lines		it privy		1	D. Lives	tock pens	13. Ins e	cticide storage	15. Oil v	vell/Gas v	well
2 Sewer lines	5. Ces	ss Pool	8. S	ewage l	agoon	1	1. Fuel	storage	14. Aba	ndon water we	16. Othe	r (specif	fy below)
3 Watertight sew		epage pit	9. F c	eed yard	i	1	2. Ferti	lizer storage					
Direction from well?	East	epage pit		,-					How	many feet? 10) ft. nlus		
From To		LITHOLO	OGIC I	OG			Fro	m To	1		OGIC LO		
0 3	topsoil									CITTIOE	.0010 200	<u></u>	
3 8	clay										· · · · · · · · · · · · · · · · · · ·		
8 20	fine sand												
20 55	medium sa	ınd											
									ļ <u>.</u>		-2.00		
									ļ		····		
									<u> </u>				
	 												
					*****						******		
	1												
	1								1				
				•									
							-						
7 Contractor's or	Landowner's Ce	rtification: This	water we	ll was 1	Con	structed) 2.	reconstructe	ed or 3.	plugged	under my juri	sdiction a	and

3/1/18 Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year)

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp