WATER WELL  A Original Record						n of Water es App. No.		] Well	<sub>m</sub> []		
1 LOCATION County:	OF WATER	WELL:	Fraction 4SE 4SE			ion Numbe		mber	Range Number		
2 WELL OWN				Street of	r Rura	al Address	where well is locat		R DEWW		
Business: Bowlings Momeo direction from nearest town or intersection): If at owner's address											
Address: 1818 Dreftwace					1818 Driftwood						
3 LOCATE WE	venero.	SIGHT.	L LIF. OT POT								
WITH "X" IN	4 Di	EPTH OF COM	APLETED WELL		A.				(decimal degrees		
	ECTION BOX: Depth(s) Groundwater Encountered: 1)					Thry Well Harington Dates Two et Then or Then or					
l	WELL'S STATIC WATER LEVEL:					ftSource for Latitude/Longitude					
NWNE	NW NE -   above land surface, measured on (mo-day					1' UG	'S (unit make/mode) (WAAS enabled?)				
	Pump test data: Well water was					☐ Land Survey ☐ Topographic Map					
W   17   1	Well water was										
SWSE	after hours pumping					6 Rleva	tion:	e []	Grand I and 17 TO		
S	S Bore Hole Diameter: in. to					6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map					
in.to											
7 WELL WATER TO BE USED AS: 1. Domestic: 5.  Public Water Supply: well ID											
Alousehold 6. Dewatering: how many wells?						11. Test Hole: well ID					
Livestock	X Lawn & Garden       7. ☐ Aquifer Recharge: well ID         Livestock       8. ☐ Monitoring: well ID						sed Uncased ( ermal: how many be		chnical		
2. Irrigation	. 🗌 Irrigation 9. Environmental Remediation: well I				••••	a) Cl	osed Loop 🔲 Horiz	ontal [			
3. Feedlot 4. Industrial		☐ Air Sparg ☐ Recovery			n	6) O <sub>l</sub> 13. [∃ Ot	en Loop 🔲 Surface her (specify):	Discha	rge [] Inj. of Water		
4. Industrial Recovery Injection 13. Other (specify):											
Water well disinfected? CI Yes Ki No											
8 TYPE OF CASING USED: Steel PVC Other											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel Fiberglass PVC Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)  SCREEN-PERFORATED INTERVALS: From 2, ft. to 7, ft., From ft. to											
GRAVEL PACK INTERVALS: From ft. from ft											
9 GROUT MATERIAL: Neat cement Cement grout Described Other Grout Intervals: From ft. to ft.											
Nearest source of possible contamination:   Septic Tank											
Sewer Lines		Cess Pool	□ Sewage	Lagoon	□F	uel Storage	☐ Aba	indoned	Water Well		
Other (Special Direction from the	ewer Lines	Seepage Pi	t ☐ Feedya	rd		ertilizer Sto	rage 🗌 Oil	Well/G	s Well		
DECCHOL BINE W.	<i>ي ال</i> ا	i el	Distance from		4	************		. ft.			
10 FROM T	9 -	LITHOLO	dic roc	FRO	M	ТО	LITHO. LOG (cont.	) or PLI	IGGING INTERVAL		
1/ 2		ing i	an So	no	-						
23 3		wise	tang S	no no							
	_										
				Note	s:				-		
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Deconstructed, I reconstructed, or I plugged											
under my jurisdiction and was completed on (mo day-year)											
Mail I white copy along with a fee of \$5.00 for each constructed well to. Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.											
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015											