	WELL P		WWC-5		vision of Water		***		
	Record [ge in Well Use Fraction	Resources App. No. Section Number			Well ID	N	
1 LOCATION OF WATER WELL: County: SEDGWICK			SW 4 NE 4 NW 4	4	29	Township Number		ge Number □ E ■ W	
	OWNER: 1		First:		et or Rural Address where well is located (if unknown, distance and				
		OK HOMES	1 100	direction from	irection from nearest town or intersection): If at owner's address, check here:				
Address: City:	121 SOU DERBY	TH WATER State: KS	4127 NORTH STINE BARN ST., MAIZE, KS, 67101						
3 LOCAT		4 DEPTH OF COM	MPLETED WELL:	60	ft. 5 Latitud	e:,		(decimal degrees)	
WITH "X" IN SECTION BOX: Depth(s) Groundwater I					Longitu	Longitude:(decimal degrees)			
N 2)			3) ft., or 4) [☐ Dry Well		al Datum: WGS 84		83 🗆 NAD 27	
		below land surface	L'S STATIC WATER LEVEL:			or Latitude/Longitude:		,	
NW	NE	☐ above land surface	□ above land surface, measured on (mo-day-yr)			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)			
	1		ımp test data: Well water was ft.			☐ Land Survey ☐ Topographic Map			
W	ĵ y E		s pumpingwater was		☐ Onli	☐ Online Mapper:			
SW SE after h			s pumping gpm						
		Estimated Yield: 25	Estimated Yield:25gpm Bore Hole Diameter:10.5 in. to60 ft			6 Elevation:			
			in. to						
7 WELL WATER TO BE USED AS:									
1. Domestic: 5. Public Water Supply: well ID									
☐ Household 6. ☐ Dewatering: h			ng: how many wells?						
			Recharge: well ID						
						mal: how many bores'			
3. Feedlo		☐ Air Sparg			, <u> </u>				
4. Industr		☐ Recovery				(specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? ■ Yes □ No									
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other									
Casing diameter 5 in. to 60 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 15 in. Weight lbs/ft. Wall thickness or gauge No. SDR-26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From 22 ft. to 60 ft., From ft. to ft., From ft. to ft., From ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From									
Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Septic		☐ Cess Pool	Sewage La		Fuel Storage		ned Water V		
■ Watertight Sewer Lines									
☐ Other (Specify)									
10 FROM	TO TO	LITHOLO	GIC LOG	FROM		THO. LOG (cont.) or	PLUGGIN	GINTERVALS	
0		TOP SOIL	GIC LOG	TROM	10 12	THO. LOG (WILL) OF	LUGGIN	JINILKVALS	
1		CLAY							
8		MED GRAVEL				· · · · · · · · · · · · · · · · · · ·			
50	51	CLAY							
51		MED GRAVEL							
56		CLAY		_	<u> </u>				
57	60	MED GRAVEL Notes:							
				-					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) .12/01/2017 and this record is true to the best of my knowledge and belief.									
Kansas Wa	ter Well Co	ntractor's License No.	884 This W	ater Well Re	cord was comp	leted on (mesday-ve	ear) 3/	5/ 90/8	
under the b	usiness nam	e of WENINGER.DR	ch constructed well to: Vo	nege Denartma	ignature	vironment Bureau of W.	eter CWTC	Section	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									