KOLAR Document ID: 1411897

WATER V		ECORD Correction	Form V	WWC-5				ion of Wate rces App. N] Well II	⁻ [
Original Record Correction Chang 1 LOCATION OF WATER WELL:			Fraction			Section Number			Township Numb		Range Number			
County:			1/4	1/4 1/2					1			□ E □ W		
·							treet or Rural Address where well is located (if unknown, distance and							
							irection from nearest town or intersection): If at owner's address, check here:							
Address: Address:														
City: State: ZI														
3 LOCATE WELL														
	WITH "X" IN 4 DEPTH OF CO					ft.								
SECTION	Depth(s) Groundwater Encountered: 1)						Longitude:(decimal degrees)							
N	2) ft. 3) ft., or 4) \(\sqrt{\text{WELL'S STATIC WATER LEVEL:}}													
		below land surface, measured on (mo-day-yr								<u>Latitude/Longitude</u> unit make/model:			,	
NW	- NE	above land surface, measured on (mo-day-yr								WAAS enabled?				
	ī	Pump test data: Well water was ft.					☐ Land Survey ☐ Topographic Map				,			
w	E	after hours pumpinggr						Online Mapper:						
SW	- SE	Well water was ft. after hours pumping gp												
		Estimated Yield:gpm					6 Elevation :ft. [and !	Level 🔲 TOC	
S		Bore Hole Diameter: in. to					G				☐ GPS ☐ Topographic Map			
1 mil	e	in. to												
7 WELL W	ATER TO	BE USED A	AS:											
1. Domestic: 5. Dublic Water Supply: well ID														
Househo			6. ☐ Dewatering: how many wells?7. ☐ Aquifer Recharge: well ID							e: well ID				
										d Uncased Geotechnical mal: how many bores?				
2. ☐ Irrigation	☐ Livestock 8. ☐ Monitoring: 2. ☐ Irrigation 9. Environmental I									Loop Horizon				
3. ☐ Feedlot ☐ Air Sparge					Soil Vapor					Loop Surface Di				
4. Industria		Injection	13. Other (specify):											
Was a chemi	ical/bacteri	ological san	nple subm	itted to 1	KDHE? □	Yes \square 1	No :	If yes, date	e sar	nple was submitte	d:			
Water well di					_	_		•		ı				
8 TYPE OF	CASING	USED: □ S	teel PV	C Othe	er	CA	SIN	G JOINTS	S: 🗆	Glued Clamped	d □ Wel	ded	☐ Threaded	
										in. to				
Casing height					ght	lbs.	/ft.	Wall thick	kness	or gauge No				
TYPE OF SC										7 (0)				
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	C	□ PVC	ısed (open	hala)		ner (S	Specify)				
SCREEN OR					☐ None (iseu (open	noie)							
☐ Continue		☐ Mill Slot		auze Wrap	pped \square To	orch Cut	□ Dri	illed Holes	П	Other (Specify)				
Louvere		☐ Key Punch						ne (Open H						
SCREEN-PE	RFORATE	D INTERVA	ALS: From	1	. ft. to	ft., Fro	m	ft. to	o	ft., From	ft.	to.	ft.	
GRA	AVEL PAC	K INTERV	ALS: Fron	n	. ft. to	ft., Fro	om	ft. t	o	ft., From	ft.	to.	ft.	
				_	-							• • • • •	• • • • • • • • • • • • • • • • • • • •	
Nearest sourc				It., From	1	It. to	• • • • • • •	It., From	••••	ft. to	It.			
Septic Ta			Lateral Line	s F	☐ Pit Privy		ПΙ	ivestock Pe	ens	☐ Insection	cide Stora	ioe		
☐ Sewer Lin			Cess Pool		☐ Sewage La	goon		uel Storage		☐ Abando			Vell	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well														
☐ Other (Specify) Direction from well? ft.														
		FROM TO LITHO. LOG (cont.) or PLUGGING INTERV						SINTEDMALC						
10 FROM	TO		ITHOLOG	JIC LUG	•	FRON	/1	10	LH	no. Log (cont.) of	PLUGG	ING	INTERVALS	
													-	
					-									
						<u> </u>								
ļ						_ Notes:	:							
						_								
11 CONTR	ACTOR'S	OR LANDO)WNFR'S	CERTI	FICATION	V: This w	ater :	well was F	7.00	onstructed, \square reco	nstructe	d c	or nlugged	
under my juri	isdiction an	d was compl	eted on (m	no-day-ye	ear)		and th	nis record	is trı	ie to the best of m	y knowle	edge	e and belief.	
Kansas Water	r Well Cont	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was coi	mple	eted on (mo-day-y	ear)			
under the bus	iness name	of	****	mr r 0	TD :			1 5 2		or each <u>constructed</u> we		••••	<u></u>	
KS Departmen	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geol	ER and retain	one for you 000 SW Jacl	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka, Kansas 66612-136	и. 57. Teleph	one '	785-296-3565	
-		s.gov/waterwel		, 50010				, 120,	- ~PC	,			A 82a-1212	