		WATER W	VELL F	RECOF	RD Fo	orm WW	/C-5 K	SA 82a-12	12					
1 LOCATION OF WATER	R WELL:	FRACTION												
Sedgwick		NE 1/-		1/4		1/4	20	т 2	6 S	R 1W	E/W			
Distance and direction from nearest town or city street address of well if located within city? Horseshoe Bend and Long Branch Maize, Kansas														
2 WATER WELL OWNER: MAIZE, CITY OF Board of Agriculture, Division of Water Resource														
RR#,ST. ADDRESS		0 W. Grady								20180	i			
		æ, Kansas					P CODE:		Application Num	ber: 20180)278			
3 LOCATE WELL'S LO	CATION 4	DEPTH OF COM	IPLETED	WELL:	35	ft.		ELEVATION:			4			
	Dep	pth of groundwa			0	ft.			ft.	11/15	ft. 2/19			
		ELL'S STATIC V					W LAND SU	JRFACE MEASU		lay/yr: 11/15	gpm			
NW NW	-NE	Est. Yield:	oump test o gpn		Well wate Well wate			ft, after		of pumping @	gpm			
N N N	E B	ore Hole Diame		12 in.		to 3	5 ft	. and	in.	to	ft.			
		ELL WATER TO					7 1 0000	and gardon only	9. Dewateri					
SW -	SE 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below) 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well													
		 Irrigation Vas a chemical/bac 					YES	NO	; If yes, y	what mo/day/yr wa				
	su	bmitted					Was	Water Well Disin	fected?	YES N	0			
5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded														
1. Steel 3. RPM (SR) 3. Absorber (SR) Welded Clamped 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26 Welded Clamped														
Blank casing diameter		in. to	20	ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.			
Casing height above	and surface:	12 in		We	eight: 2	2.35 II	os. / ft.	Wall th	nickness or gaug	ge No214				
TYPE OF SCREEN OR PERFORATION MATERIAL:														
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)														
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)														
SCREEN OR PERFORATION OPENINGS ARE:														
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)											pen noie,			
2. Louvered shutte	er 4. Key p	unched 6	6. Wire wr	apped			wcut	10. Otr	er (specify)					
SCREEN - PERFORA	TION INTERVAL	From	20	ft.	to	35	ft.,	From	ft.	to	ft.			
		From	20	ft.	to	25	ft.,	From	ft.	to	ft.			
GRAVEL PA	CK INTERVALS:	From	20	ft.	to	35	ft.,	From	ft.	to	ft.			
		From		ft.	to		ft.,	From	ft.	to	ft.			
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout intervals: From 0 ft. to 20 ft. From ft. From ft. to										l g ft.				
What is the nearest source of possible contamination:								ft.,	From	ft. to				
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/0 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/0														
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify be not specify														
3. Watertight sewer line 6. Seepage pit 9. reed yard 12. reduiter storage										P P				
Direction from well? From To		LITHOLOG		3		From	То			GIC LOG				
0 2	topsoil													
2 8	clay						 	-						
	fine sand medium sand	1												
	meannin sand													
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and														
was completed on (mo/day/year) 11/15/18 and this record is true to the best of my knowledge and belief.														
Kansas Water Well Contractor's License No. 236This water well record was completed on (mo/day/year)11/19/18														
under the business	name of Harp	Well and P	under the business name of Harp Well and Pump Service by (signature) Todd S. Hourp											