	WATER WE		CORD F	orm WV	/C-5 K	SA 82a-121	2	-		
1 LOCATION OF WATER WELL:	FRACTION							RANGE NU		
Sedgwick	SE 1/4	NE	1/4 SW	1/4	20	т 20	S S	R 1W	/ E/W	
Distance and direction from nearest town or city 533 Horseshoe Bend	street address of well Maize, Kai		thin city?							
	ISTONG, Bob		ing							
1-1	Board of Agriculture, Division of Water Resource									
CITY, STATE: Wich	nita, Kansas			Zi	P CODE:		Application Num	nber:		
3 LOCATE WELL'S LOCATION 4	DEPTH OF COMPL	LETED WE	ELL: 4	0 ft.		ELEVATION:				
WITH AN "X" IN SECTION BOX:	pth of groundwater	Encounter	ed:	ft.			ft.		ft.	
WI WI	ELL'S STATIC WA	TER LEVE	L 15	FT. BELO	W LAND SU	URFACE MEASU				
NWNE		np test data				ft. after		of pumping @	gpm	
E B	Est. Yield:	gpm 12	Well wa	terwas to 4	0 ft	ft. after	in.	of pumping @ to	gpm ft.	
	ore Hole Diameter		S:				9 Dewateri		tion well	
		Feedlot	5. Public wa			and garden only	>	12. Other (Sp	ecify below)	
		Industrial					10. Monitoria	ig well what mo/day/yr w	vas samole	
, v	Vas a chemical/bacter Ibmitted	iological sam	nple submitted to	Department?	YES Was V	NO Water Well Disinf		\sim	10	
5 TYPE OF CASING USED:	E Mirewahi		7 Eiboralaas	9.0	ther (Specif	v below) CAS	ING JOINTS:	Glued	Threaded	
1. Steel 3. RPM (SI			7. Fiberglass	SD	R-26	,,		Welded	Clamped	
2. PVC 4. ABS	6. Asbestos		8. Concrete	lie						
Blank casing diameter 5		30 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height above land surface:	12 in.,		Weight:	2.35	os. / ft.	Wall th	ickness or gaug	ge No214		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberolass 7. PVC 9. ABS 11. Other (specify)										
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)										
SCREEN OR PERFORATION OPENIN										
1. Continuous slot 3. Mill sl		Gauzed wr	apped	7. To	rch cut	9. Drill	ed holes	11. None (o	pen hole)	
2. Louvered shutter 4. Key p		Nire wrapp	••	8. Sa	w cut	10. Oth	er (specify)			
									4	
SCREEN - PERFORATION INTERVAL	From		ft. to		ft.,	From	ft.	to	ft.	
	From		ft. to ft. t		ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From				ft.,	From	ft.	to	ft.	
	From			0	ft.,	From	ft.	to	ft.	
	ft. to		ent Grout		3. Bentonite	-		onite hole plu	ug 24 ft.	
Grout Intervals: From What is the nearest source of possible c		T	ft., From	ft.	to	ft.,	From 4			
1. Septic tank 4. Latera	7	. Pit privy		10. Livestoc	k pens	13. Insect	cide storage	15. Oil well/G		
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)										
Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage										
Direction from well? East		21.00		_		How ma	any feet? 50			
From To	LITHOLOGIC	LOG		From	To		LITHOLU	OGIC LOG		
0 3 topsoil 3 14 clay										
14 25 fine sand			·····							
25 30 clay										
30 40 medium sand	d									
					ļ					
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and										
was completed on (mo/day/year) 2/12/19 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/14/19										
under the business name of Harp Well and Pump Service by (signature) Todd S. Hourp										
Internet the submost hand of that p went and t unip Service internet in the submost hand of the submost ha										