LOCATION	JE M/VIEL	WEII:	FRACTION	J					SECTIO	ON NUMB	ERI TOW	NSHIP NU	IMBER	1	RANG	SE NUM	8ER
d Sedgwi		WELL:	SE	1/4	NE	1/4	SW	1/4	SECTION	20	T 10.1	26	S			1W	E/W
		nearest town or city :						1/-									
601 Ho			Maize				·										
WATER	WELL O	WNER: TSAI	NG, Hen	ry									D	:	Ni dalar	of Mate	e Bosouro
RR#,ST. AD	DRESS,		Iorsesho		ıd								Board of A	griculture, [JIVISIUI	1 OI Wale	;i nesourc
	CITY, S	STATE: Maiz	e, Kansa	ıs					ZIP	CODE:		A	plication N	lumber:			
LOCATE W		CATION 4	DEPTH OF	COMPL	ETED	WELL:	4	10	ft.		ELEVATION	ON:					
WITH AN	N N	Dep	oth of groun	dwater	Encoun	itered:			ft.				ft.				ft.
	1	WE	ELL'S STAT	IC WA	TER LE	VEL	10	FT. E	BELOW	LAND S	SURFACE MI	EASURE	D ON m	o/day/yr:	2	2/12/1	9
NV	v -	- NE		Pun	np test c	data:	Well wa	eter was			ft. afte			urs of pum		-	gp
₩	- 1		Est. Yield:		gpm			ater was			ft. afte			urs of pum		_	gpı
≥ W			ore Hole Dia ELL WATER				n.		to 40	,	ft. and	-	in.		-	0 Inlectio	ft on well
3	м XI		. Domestic		Feedlot	5.	Public w	ater su	opiy <	7. Lawr	and garden	only	Dewate	•		-	ify belov
1 1 '	ł	2	Irrigation	4. 1	Industri						onditioning			ring well			•
·	s		/as a chemica	al/bacteri	ological					YES	(NO		-	s, what m	o/day		
		-	bmitted							Was	Water Well	Disinfect	ed?	YES		NO	
<u>'</u>		NG USED: 3. RPM (SF	5. W	rought	Iron	7.	Fiberglass	6	9. Oth	er (Spec	ify below)	CASING	JOINTS			-	hreaded
1. S		3. KPM (3r 4. ABS	•	bestos	-Cemen	nt 8.	Concrete	tile	SDR	-26				Welde	d	C	Clamped
Blank casing			in.	to :	30 f	ft.,	Dia.		in.	to	ft.,	Dia	_	in.	to	ı	ft.
•		land surface:	12	in		-		2.35		i. / ft.			ess or ga			214	
		iano suriace. R PERFORATION		•		V	eight:	2,33	108	i. / II.	VV	all tricki	iess or ga	auge No.	• •	614	
1. Steel		Stainless Steel	5. Fibe			(7. F	vc>		9. AB	s	1	1. Other	(specify)				
2. Brass	4.	Galvanized	6. Cond	crete Ti	ile	8. F	MP (SR)		10. Ast	estos-C	ement 1	2. None	used (ope	en hole)			
SCREEN OF	RPERFOR	RATION OPENING	SS ARE:														
1. Continu	ous slot	3. Mill sle	ot	5. G	auzed	wrappe	d		7. Torc	h cut	9.	Drilled	holes	11	. Non	e (ope	n hole)
2. Louvere	d shutter	4. Key pu	unched	6. V	Vire wra	apped			8. Saw	cut	10.	. Other (specify)				
COEEN DE	EBEODA	TION INTERVAL			30	ft.			10		F	•					
OCKEEN - FI	EKFOKA	HON INTERVAL	From		30	ft.	t.		-	ft.,	From		ft.		to		ft.
CDA	VEL BAC	Y INTEDVALE.	From		24	rt. ft.		o to 4		ft.,	From		ft.		to		ft.
GRA	WEL PAC	CK INTERVALS:	From		24				-	ft.,	From -		ft.		to		ft.
T			From			ft.		io		ft.,	From		ft.		to		ft.
<u>'</u>	MATERI/	i. Neat			2. Ce	ment G			3.	Bentoni	te	Oti	ner be	ntonite	hole		4
Grout Inte What is the n		From urce of possible co	ft. Intamination	to		ft.,	From		ft.	to	f	t.,	From	4 ft.		to 24	4 ft
1. Septic ta		4. Lateral			Pit priv	′ y		10. Liv e	stock	pens	13. ln	secticid	e storage	e 15.	Oil w	ell/Gas	well
2. Sewer li	nes	5. Cess P	Pool	8.	Sewag	e lagoo	n	11. Fue	el stora	ge	14. A	bandon	water we	_{ill} 16.	Othe	r (spe c	ify below
3. Watertig	ht sewer	line 6. Seepa	ge pit	9.	Feed y	ard		12. Fer	tilizer s	storage							
Direction from		East									Ho	w many	feet? 4	0 ft plus	S		
From	То		LITHOL	OGIC	LOG	}		Fre	om	То		L	ITHOL	OGIC	LOC	}	
0		topsoil									+						
3		clay						+	-		+						
14 25		fine sand clav							-								
30		medium sand															
								-									
								+	\dashv								
								+			+					-	
								 			1						
									\Box T								
								_						.			
								_			1						
Contrac	ctor's or L	andowner's Certific			well was	s 1.Co	onstructe	d) 2	. rec	onstruct	ed or 3	, plu	gged	under n	ny juri	sdiction	ı and
was comp	leted on (mo/day/year)	2/12	2/19		and t	this record	d is true	to the t	est of m	ıy kno w led g e	and beli	ef.				
Kansas Wa	ater Well	Contractor's Licens	se No. 236	ŝ		Th	is water v	vell reco	rd was	complet	ed on (mo/da	y/year)	2	/14/19			
والإعادة فالمساورة		name of Harp	XX7 11	J Th	C				by (sigr	nature)		7.	LL	S #	. ــ	. JT.	