		WATER V	VELL RE	ECORD	Form	ww	C-5 K	SA 82a-12	212			
1 LOCATION OF WATE	R WELL:	FRACTION					ON NUMBER		HIP NUMBER		NUMBER	
Sedgwick -		NE 1/4		1/4 SV	V 1/4		31	T	26 S	R 1	W E/W	
Distance and direction fro												
3322 N. Judit		Wich BL CONSTR	ita, Kan									
2 WATER WELL O		E W. 21st N.		IN .					Board of Ag	griculture, Division of	Water Resource	
1		hita, Kansas				7IF	CODE: 6	7205	Application Nu	ımber:		
3 LOCATE WELL'S LO		DEPTH OF COM	IPLETED W	VELL:	68	ft.		ELEVATION	:			
WITH AN "X" IN SE	CTION BOX:	epth of groundwat				ft,			ft.		ft.	
N N		'ELL'S STATIC W			FT.	BELOV	V LAND SU	JRFACE MEA	SURED ON mo	/day/yr: 5 /1	7/19	
NW	NE		ump test da		water wa			ft. after		rs of pumping @	gpm	
	·;-	Est. Yield:	gpm	Well	water wa	ıs		ft. after	hou	rs of pumping @	gpm	
w ≥ w	;	Bore Hole Diamet	er 12	2 in.		to 6	8 ft.	and	in.	to	ft.	
-sw	J_ 1 I	ELL WATER TO	BE USED / 3. Feedlot	AS:	water er	ınnlı C	7 Lawn a	and garden o	9. Dewate	iiiig .	ection well	
			3. reediot 4. Industria					nditioning	10. Monitor		Specify below)	
S		Was a chemical/bac					YES	NO		, what mo/day/yr		
	sı	ubmitted					Was V	Water Well Dis	infected?	(YES)	NO	
5 TYPE OF CAS		5. Wrough	ht Iron	7. Fibergla	ass	9. Oth	ner (Specify	below) C	ASING JOINTS:		Threaded	
1. Steel	3. RPM (S > 4. ABS	•	os-Cement	8. Concre	te tile	SDR	L-26			Welded	Clamped	
Blank casing diamet		in. to	48 ft.			in.	to	ft.,	Dia.	in, to	ft.	
1	_	4.0	70 11.	•	2.35			•				
Casing height above		,		Weight:	2.55	סו כ	s. / ft.	waii	thickness or ga	uge No21	4	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)												
2. Brass												
SCREEN OR PERFO	DRATION OPENIN	GS ARE:										
1. Continuous slo	t 3. Mill s	lot 5	. Gauzed w	rapped		7. Tor	ch cut	9. D i	rilled holes	11. None	open hole)	
2. Louvered shutte	er 4. Key p	ounched 6	. Wire wrap	pped		8. Sav	v cut	10. O	ther (specify)			
SCREEN - PERFOR	ATION INTERVAL	From	48	ft.	to	68	ft.,	From	ft.	to	ft.	
OOKEEN TEKTOR	ATTOTAL TOTAL	From	40	ft.	to	00	ft.,	From	ft.	to	ft.	
GRAVEL PA	ACK INTERVALS:	From	24	ft.		68	ft.,	From	ft,	to	ft.	
J. O. O. C.	OK HATEL WALLS.	From		ft.	to	00	ft	From				
6 GROUT MATER	IAIS:								ft. Other her	to ntonite hole p	ft.	
GROUT MATER Grout Intervals:	From 4	cement ft. to		nent Grout ft., Fror	m	ft.	Bentonite		From		o ft.	
What is the nearest s			24	11., 1101			to	ft.,				
1. Septic tank 4. Lateral lines 7. Pit privy 10. Liv							stock pens 13. Insecticide storage 15. Oil well/Gas well I storage 14. Abandon water well 16. Other (specify below)					
2. Sewer lines	5. Cess	Pool	8. Sewage	lagoon	11. Fu	ei stor	age	14. Aba i	ndon water wel	1 16. Other (specify below)	
3 Watertight sew		age pit	9. Feed ya	rd	12. Fe	rtilizer	storage		10	C41		
Direction from well?	East	LITHOLOG	10.1.00		Тг.			How	many feet? 10	OGIC LOG		
From To	topsoil	LITHOLOG	IC LOG		FI	<u>om</u>	То		LITHOL	OGIC LOG		
3 26	clav				<u> </u>					· · · · · · · · · · · · · · · · · · ·		
26 42	fine sand								•			
42 68	medium sand	d										
							·····					
	-									 		
							 			····		
						$\neg \neg$						
	I .									- 		
7 Contractor's or	Landowner's Certif	fication: This water	er well was	1. construc	ted	2. red	onstructe	d or 3.	plugged	under my jurisd	iction and	
was completed on	(mo/day/year)	5/17/19		and this reco	ord is true	e to the	best of my	knowledge an	d belief.			
Kansas Water We	Il Contractor's Licer	nse No. 236		This wate	r well rec	ord was	s completed	d on (mo/day/y	ear) 5/	20/19		
under the business	s name of Harp	Well and Pu	ımp Serv	vice		by (sig	nature)	7	Todd,	S. Har	h	