		RECORD	Form '	WWC-5	Di	vision of Water				
		Correction		e in Well Use		sources App. No		Well ID		
		ATER WEL	L:	Fraction		ction Number	,			
County: SEDGWICK NW ¼ NE ¼ SW ¼										
Business: RAIN PLUS Address:						Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:				
City: WICHITA State: KS ZIP: 67218						2901 WEST 58TH CT. NORTH, WICHITA, KS, 67204				
3 LOCAT		4 DEPTH	4 DEPTH OF COMPLETED WELL:			ft. 5 Latitude:(decimal degrees)				
				Encountered: 1)		(-		(decimal degr		
N 2) ft. 3).				3) ft., or 4)				4 🗆 NAD 83 🗆 NAD		
		WELL'S ST	ATIC WA	TER LEVEL:	.] ft.		for Latitude/Longitude			
'				, measured on (mo-day , measured on (mo-day)	
				vater was		į	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
w						gpm Online Mapper:				
SW	Well water was									
after Estimated Yiel			iold: 20	s pumping	. gpm	6 Elevation:ft. Ground Level TOC				
S Bore Hole Diameter:			Diameter:	10.5 in to 50	ft and		Source: Land Survey GPS Topographic Map			
	nile			in. to			☐ Other			
7 WELL WATER TO BE USED AS:										
1. Domestic				iter Supply: well ID				ease		
	☐ Household 6. ☐ Dewatering: how ma ☐ Lawn & Garden 7. ☐ Aquifer Recharge: w									
. —	Lawn & Garden ☐ Livestock — Livestock — Livestock — Monitoring: well ID						12. Geothermal: how many bores?			
1 —	2. Irrigation 9. Environmental Remediation: well ID.									
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Ex					Extraction		b) Open Loop Surface Discharge Inj. of Water			
4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted: \Box Wotco well digital factors?										
Water well disinfected? Yes No										
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other										
Casing height above land surface 18 in. Weight lbs./ft. Wall thickness or gauge No. SDR-26										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From24 ft. to50 ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Nearest source of possible contamination: □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage										
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well										
■ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well										
☐ Other (Specify) Direction from well? WEST Distance from well? 54 ft.										
10 FROM	TO		ITHOLO		FROM			 or PLUGGING INTERVA	AIS	
0		TOP SOIL			T IXOIVI			Lo como inteleva	LLAS	
2	14	CLAY								
14		MED SAND								
21		CLAY								
26		GRAVEL				<u> </u>				
44	50	GRAY SHAL	.E		Nat	<u> </u>				
		Notes:								
WELL ONLY										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) 8/15/2019 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 884. This Water Well Record was completed on (mo-day-year) 8/27/2019										
under the business name of WENINGER DRILLING, LLC										
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
		s.gov/waterwell/		obbile ibor, man one a	KSA 82a-1		, ==:	Revised 7/10/2015	;	