KOLAR Document ID: 1470767

	WELL R	_		WWC-5		vision of Wat						
		Correction		e in Well Use		ources App. 1	-		Well ID			
1 LOCATION OF WATER WELL: Fraction						ction Numb	er	Township Numb		ige Number		
County: 1/4 1/4 1/4												
						treet or Rural Address where well is located (if unknown, distance and						
Business:	din Address:						irection from nearest town or intersection): If at owner's address, check here:					
Address:												
City:			State:	ZIP:								
3 LOCAT	E WELL				ŝ		_					
4 DEPTH OF COMPLETED WELL:												
SECTIC	SECTION BOX: Depth(s) Groundwater Encountered: 1)											
1	N 2) ft. 3) ft., or 4)											
				yr)			Latitude/Longitude unit make/model:)			
NW	NE			yr)			WAAS enabled?					
	NE	Pump test d					Survey		(0)			
w	E		hours				Mapper:					
CW	X - SE		Well v									
3w	(- SE		after hours pumping gp			6 Flow	6 Flavation : ft \Box Ground Lavel \Box TOC					
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
	S	Bore Hole I	Bore Hole Diameter: in. to			Source	Source: Land Survey GPS Topographic Map					
										,		
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
	I. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?											
	$\Box Lawn \& Garden $ 0. $\Box Dewatering: now many wens?$											
	Livestock 2. Monitoring: well ID						12. Geothermal: how many bores?					
2. 🗌 Irrigati								Loop Horizont				
3. \Box Feedlo	E						b) Open Loop Surface Discharge Inj. of Water					
	4. Industrial Recovery Injection						13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
				ft., From	ft. to	ft., From	1	ft. to	ft.			
		e contaminati		potential source of cont				— I	: J. C			
☐ Septic ☐ Sewer			Lateral Line Cess Pool	es 🗌 Pit Privy 🗌 Sewage Lag		Livestock Pe Fuel Storage			cide Storage			
	ight Sewer Lir		Seepage Pit			Fertilizer Sto			ll/Gas Well			
						i erunzei Su	Jiage		ii/Gas well			
☐ Other (Specify) Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
					-	-		(
[1							
					1							
					Notes:							
11 CONT	RACTOR'S	OR LAND	OWNER'S	S CERTIFICATION	This wate	r well was		nstructed, 🗌 reco	onstructed,	or 🗌 plugged		
under my j	urisdiction a	nd was compl	leted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.		
				This Wa								
under the b	ousiness name	e of		ELL OWNER and ratein a	no for vo	orda Eas -f ^a	5 00 5	an agah gangtmt1		<u></u>		
KS Departr	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												