WATER WELL RECORD	Form WWC-	-5 KSA 82a-1	1212		
1 LOCATION OF WATER WELL: FRACTION	SECTION		SHIP NUMBER	RANGE NUM	BER
Sedgwick SW 1/4 NE 1/4 SE	1/4 3	3 T	26 S	R 1W	E/W
Distance and direction from nearest town or city street address of well if located within city?					
7330 W 33rd N. Wichita, Kansas 2 WATER WELL OWNER: BENCH MARK REAL ESTATE G	POLID				
RR#,ST. ADDRESS,BOX #: 7701 E. Kellogg Ste #100	NOO1		Board of Agric	culture, Division of Wat	er Resource
CITY, STATE: Wichita, Kansas	ZIP CO	ODE: 67207	Application Num	nber:	
	40 ft.	ELEVATIO			
WITH AN "X" IN SECTION BOX: N Depth of groundwater Encountered:	ft.		ft.		ft.
WELL'S STATIC WATER LEVEL 12		AND SURFACE ME		lav/vr: 5/18/2	
	ater was	ft. after		of pumping @	gpn
1 1 ''' 1 1 1	ater was	ft. after		of pumping @	gpm
Est. Yield: gpm Well w Bore Hole Diameter 12 in.	to 40	ft. and	in.	to	ft.
WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 5 Public w			9. Dewaterir	ng 11. Injectio	on well
1. Domestic 3. Feddot 3. Feddot 4		Lawn and garden	<u>oniy</u> 10. Monitorin	12. Other (Spec	cify below
2. Irrigation 4. Industrial 6. Oil field Was a chemical/bacteriological sample submitted to		Air conditioning		ng wen what mo/day/yr was	sample
submitted	, bepartment:	Was Water Well D		YES NO	•
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglas	9. Other	(Specify below)	CASING JOINTS: (Glued T	hreaded
1. Steel 3. RPM (SR)	c das			Welded C	Clamped
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete	uie				
Blank casing diameter 5 in. to 30 ft., Dia.	in.	to ft.,	Dia. i	in. to	ft.
Casing height above land surface: 12 in., Weight:	2.35 lbs. /	ft. Wa	II thickness or gaug	ge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. ABS	11	. Other (specify)		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)			. None used (open I	hole)	
SCREEN OR PERFORATION OPENINGS ARE:	10. 70000	otos coment 12	Trong good (open)	11010)	
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch	cut 0. F	Orilled holes	11. None (ope	n hole)
				i i. None (ope	iii iioie)
many panents	8. Saw cu	ut 10. (Other (specify)		
SCREEN - PERFORATION INTERVAL From 30 ft.	to 40 ft.,	, From	ft.	to	ft.
	to ft.,	, From	ft.	to	ft.
GRAVEL PACK INTERVALS: From 24 ft.	to 40 ft.,	, From	ft.	to	ft.
From ft.	to ft.,	, From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	3. B e	entonite	Other bento	onite hole plug	
Grout Intervals: From ft. to ft., From	ft.	to ft.,	From 4	ft. to 2^2	4 ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy	10. Livestock pe	ens 13. ins	ecticide storage	15. Oil well/Gas	well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon	11. Fuel storage		andon water well	16. Other (spec	
3. Watertight sewer line 6. Seepage pit 9. Feed yard	12. Fertilizer sto		moon water wen		
Direction from well?	TE. FORMILLE STO	-	many feet? 150	ft. plus	
From To LITHOLOGIC LOG	From	To	LITHOLO		
0 3 topsoil					
3 23 fine sand					
23 40 medium sand					
	++				
	† · · · †				
					
Contractor's or Landowner's Certification: This water well was 1. constructed	2. recons	structed or 3.	plugged և	under my jurisdiction	and
was completed on (mo/day/year) 5/18/2020 and this record	d is true to the bes	st of my knowledge a	nd belief.		
Kansas Water Well Contractor's License No. 236 This water w	vell record was co	empleted on (mo/day/	year) 5/20/	/2020	
under the business name of Harp Well and Pump Service	by (signati	ure)	Todds	Harn	