	WATER \	WELL REC	ORD F	orm WV	VC-5 K	SA 82a-1	212			
1 LOCATION OF WATER WELL:	FRACTION				TION NUMBER		SHIP NUMBER RANGE NUMBER			ER
Sedgwick	NE 1/	4 NW 1/4	4 SW	1/4	31	Т	26 S	R	1W_	E/W
Distance and direction from nearest town	•		city?							
3310 N. Judith Ct.	······································	ta, Kansas								
	ROBL CONSTR		Λ				Board of Ag	griculture, Divisio	on of Water	Resource
t .	'540 W. Northw Vichita, Kansas		U	71	P CODE:		Application No	ımher:		
3 LOCATE WELL'S LOCATION	4 DEPTH OF COM		. 70		P CODE.	ELEVATION		uniber.		
WITH AN "X" IN SECTION BOX:	Depth of groundwa			ft.		LLLTTTIO	·· ft.			ft.
N I	WELL'S STATIC		25			IREACE MEA	SURED ON mo	v/day/vr	4/16/20	
NW NE		Pump test data:	Well water		W LAND OU	ft. after		rs of pumping		, gpm
	Est. Yield:	gpm	Well water	er was		ft. after		rs of pumping	•	gpm
W N E	Bore Hole Diame	ter 12	in.	to 7	70 ft.	and	in.		to	ft.
-SW -SE	WELL WATER TO		5. Public wat		7 Jawn 2	nd garden o	9. Dewate	9	. Injection	
	Domestic Irrigation		5. Public wat 6. Oil field wa				موالة 10. Monitoi		er (Speci	fy below)
S	Was a chemical/bad				YES	NO		, what mo/da	y/yr was s	sample
	submitted			·		Vater Well Dis	sinfected?	YES	NO	
TYPE OF CASING USED:	5. Wroug	tht Iron 7	. Fiberglass	9. O	ther (Specify	below) C	ASING JOINTS:	Glued	Thr	readed
1. Steel 3. RPI	M (SR)	tos-Cement 8	. Concrete tile	e SDI	R-26			Welded	Cla	amped
Blank casing diameter	0	50 ft.,	Dia.	in.	to	ft.,	Dia.	in 4	_	ft.
Casing height above land surface:	10	,				•			0	IL.
TYPE OF SCREEN OR PERFORA	,		Weight:	2.33 R	bs. / ft.	wai	I thickness or ga	uge No.	.214	
1. Steel 3. Stainless St		ss 7.	PVC	9. A	BS	11.	Other (specify)			
2. Brass 4. Galvanized	6. Concrete	e Tile 8.	RMP (SR)	10. A	sbestos-Cen	nent 12.	None used (ope	n hole)		
SCREEN OR PERFORATION OPE	NINGS ARE:									
1. Continuous slot 3. M	fill slot 5	. Gauzed wrap	oed	7. To	rch cut	9. D	rilled holes	11. No	ne (open	hole)
2. Louvered shutter 4. K	Key punched 6	S. Wire wrapped		8. Sa	w cut	10. C	ther (specify)			
SCREEN - PERFORATION INTERV	√AL From	50 ft.	to	70	ft.,					
CONTENT OF CHICK WATER	From	SU II.	to	70	ft.,	From From	ft.	t.		ft.
GRAVEL PACK INTERVA	-	24 ft.	to	70	ft.,	From	ft.	t		ft.
	From	ft.	to	70	•		ft.	t	-	ft.
6 GROUT MATERIALS: 1. I					ft.,	From	ft.	to		ft.
Grout Intervals: From	Neat cement ft. t	2. Cement o ft.,	Grout From		B. Bentonite			tonite hol		
What is the nearest source of possil				ft.	to .	ft.,	From	4 ft.	to 24	ft.
1. Septic tank 4. La	ateral lines	7. Pit privy	10	D. Livestoc	k pens	13. inse	cticide storage		well/Gas v	
2. Sewer lines 5. C	ess Pool	8. Sewage lago	oon 1	1. Fuel sto	rage	14. Aba	ndon water wel	16. Oth	er (specif	y below)
	eepage pit	9. Feed yard	1:	2. Fertilize	r storage					
Direction from well? Sou		10100		F	T-7- T	How	many feet? 25			
From To 0 3 topsoil	LITHOLOG	IC LOG		From	То		LITHOL	OGIC LO	G	
3 21 clay				-						
21 45 fine sand										
45 46 clay										
46 70 medium s	and				 			 -		
					 					····
					 			·		
7 Contractor's or Landowner's C	Certification: This wat	er well was 1.	constructed) 2 re-	constructed	or 3.	plugged	under my jui	isdiction a	and
use completed on (markets)		_		· ·						

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 4/16/2020 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5/4/2020

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp