KOLAR Document ID: 1528549

	WELL R	Correction		WWC-5 ge in Well Use			on of Wate ces App. N			Well ID		
		ATER WEL		Fraction			n Numbe		Township Numb		ge Number	
County:					1/4 1/4					R	$\Box E \Box W$	
						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
City:			State:	ZIP:								
3 LOCAT WITH "	IPLETED WELL:											
SECTIO		Depth(s) Gr		Longitude:(decimal degrees)								
1	N	2) ft. 3) ft., or 4) Di WELL'S STATIC WATER LEVEL:				Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
			y-yr)		GPS (unit make/model:))			
NW	NE		D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.							(o)		
w	Е	after					□ Land Survey □ Topographic Map □ Online Mapper:					
	SE		Well water was ft.									
			after hours pumping gpn Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC				Level 🗌 TOC	
	S		Bore Hole Diameter: in. to f				Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic M			opographic Map		
1 r			in. to f				Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
☐ Household 6. ☐ De				Dewatering: how many wells?								
🗌 Lawn a	7. 🗆	7. 🗌 Aquifer Recharge: well ID				Cased Uncased Geotechnical						
					well ID Remediation: well ID			12. Geothermal: how many bores? a) Closed Loop □ Horizontal □ Vertical				
3. Feedlot Air Sparge					Soil Vapor Extraction			b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
□ Septic	Tank		Lateral Line	es 🗌 Pit Privy		🗌 Liv	estock Pe		☐ Insectic	ide Storage		
Sewer 2			Cess Pool	□ Sewage I			el Storage		Abando		Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction fro	om well?			Distance from	well?							
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM		ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)												
under the business name of												
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
Visit us at h	ttp://www.kdhe	eks.gov/waterwel	l/index.html							KS	SA 82a-1212	