KOLAR Document ID: 1529742

	WELL R			WWC-5		ivision of Wa						
		Correction		ge in Well Use		sources App.			Well ID			
1 LOCATION OF WATER WELL:			Fraction				Township Numb		ige Number			
County:			1/4 1/4 1/4					R	$\Box E \Box W$			
						treet or Rural Address where well is located (if unknown, distance and						
Business: Address:					direction from	irection from nearest town or intersection): If at owner's address, check here:						
Address:												
City:			State:	ZIP:								
3 LOCAT	E WELL											
WITH "	X" IN		IPLETED WELL:		5 Latitude:(decimal degrees)							
SECTIO			Encountered: 1)		Longitude:(decimal degrees)							
N	N	2) ft. 3) ft., or 4) Dry WELL'S STATIC WATER LEVEL:					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:					
				-yr)			(unit make/model:)			
NW	XIF			-yr)			WAAS enabled?					
		Pump test d	ft.		□ Land Survey □ Topographic Map							
w	E	after	. gpm		Online Mapper:							
SW		Well water was ft.										
				. hours pumping gpm			6 Elevation:ft. Ground Level TOC					
		Estimated Y		C 1		Source: Land Survey GPS Topographic Map						
	S nilel	Bore Hole I	Bore Hole Diameter: in. to			<u>500</u>						
Image:												
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease												
T. Domestic.			6. Dewatering: how many wells?									
			7. Aquifer Recharge: well ID				\Box Cased \Box Uncased \Box Geotechnical					
			g: well ID		12. Geothermal: how many bores?							
2. Irrigation 9. Environmental Remediatio												
3. 🗌 Feedlot 🗌 Air Sparge								b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water				
4. 🗌 Industr	rial		Recovery	Injection		13. 🗌 (Other	(specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? \Box Yes \Box No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
	rce of possible		on: No	potential source of coi	. II. 10 ntamination v	11., FIOI vithin 200 ft	11		II.			
			Lateral Line			Livestock I	Dens	🗆 Insecti	cide Storage			
			Cess Pool	Sewage La	-	Fuel Storag			oned Water			
	ight Sewer Lir			☐ Feedyard		Fertilizer S			ll/Gas Well			
□ Other (Specify)												
	om well?			Distance from w								
10 FROM	TO	Ι	ITHOLO	GIC LOG	FROM	TO	LI	THO. LOG (cont.) or	PLUGGIN	G INTERVALS		
					_		<u> </u>					
					Notes:							
					_							
11 CONT	DACTOR					11				<u> </u>		
				S CERTIFICATIO								
Kansas Wa	ter Well Con	tractor's Lie	ense No	no-day-year) 	ater Well P	u uns record	i is tř omol4	ue to the best of m	y Kilowied ear)	ge and benef.		
				····· · · · · · · · · · · · · · · · ·								
	:	Send one copy to	WATER W	ELL OWNER and retain	one for your re	cords. Fee of	\$5.00	for each constructed we	ell.			
-	nent of Health a	nd Environment	, Bureau of V	Water, Geology Section, 1					7. Telephone			
Visit us at h	ttp://www.kdhe	ks.gov/waterwel	l/index.html						KS	SA 82a-1212		