KOLAR Document ID: 1529748

	WELL R			WWC-5		ision of Wat			Well ID		
	Original Record Correction Change in Well Use LOCATION OF WATER WELL: Fraction					Resources App. No. Well ID Section Number Township Number Range Numb			ge Number		
County: 1/4 1/4 1/4						$\begin{array}{c c} T & S & R & \Box E & \Box W \\ \end{array}$					
2 WELL OWNER: Last Name: First: S						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City: State: ZIP:											
3 LOCAT	E WELL				E.	- -	. 1				
	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)										
	SECTION BOX: N $2) \dots \dots ft. 3) \dots ft., or 4) \square$										
1	` 		WELL'S STATIC WATER LEVEL:					Latitude/Longitude:		110 21	
			yr)		GPS (unit make/model:)						
NW	NE	☐ above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.					(WAAS enabled? \Box Yes \Box No)				
		-	ata: well w			Land Survey Topographic Map					
W	E	anci	Well v		□ Online Mapper:						
- X ^{SW}	SE	after hours pumping gpm									
		Estimated Yield:gpm					6 Elevation:ft. Ground Level TOC				
	S	Bore Hole I			Source: Land Survey GPS Topographic Map						
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
	□ Household										
	□ Lawn & Garden 7. □ Aquifer Recharge: well ID .										
	Livestock 8. Monitoring: well ID							l: how many bores			
	2. Irrigation 9. Environmental Remediation: well ID.					a) Closed Loop Horizontal Vertical					
	3. Effective Soil Vapo				Extraction	b) Open Loop \square Surface Discharge \square Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
					· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·			
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft. of GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
				potential source of con							
Septic '			Lateral Line Cess Pool	es 🗌 Pit Privy 🗌 Sewage Lag		Livestock P Fuel Storage		☐ Insectic ☐ Abando	•		
	ight Sewer Lin	ies 🗆 S	Seenage Pit	☐ Sewage Lag		Fertilizer St				wen	
Uther (Specify)											
Direction from well? ft.											
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM	TO	LITH	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:						
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or a plugged										
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)											
under the b	usiness name	of									
KS Departm	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											