KOLAR Document ID: 1533369

	WELL R	ECORD Correction		WWC-5 ge in Well Use		ivision of Wassources App			Well ID			
		ATER WEL		Fraction		ection Num		Township Numb		ge Number		
County:					/4 1/4				R	□ E □ W		
						Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:						
City:			State:	ZIP:								
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED												
	N BOX:		Depth(s) Groundwater Encountered: 1) 2)				Longitude:(decimal degrees)					
1	N	(2) II. (3) II., of $(4) \square$ Dr WELL'S STATIC WATER LEVEL:					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:					
			y-yr)		GPS (unit make/model:)							
NW	NE		above land surface, measured on (mo-day-yr).				(WAAS enabled? ☐ Yes ☐ No)					
		-	Pump test data: Well water was ft. after hours pumping gpn				Land Survey Topographic Map					
W X				vater was		Online Mapper:						
SW					pumping gpm			6 Elevation:ft. Ground Level TOC				
	S		Estimated Yield:gpm Bore Hole Diameter: in. to f				Source: Land Survey GPS Topographic Map					
1 r	-	Doite Hole L	in. to									
7 WELL WATER TO BE USED AS:												
1. Domestic												
			 6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID 				\Box Cased \Box Uncased \Box Geotechnical					
	Livestock 8. Monitoring			g: well ID	. 12. Ge	12. Geothermal: how many bores?						
2. Irrigation 9. Environmental Reme												
3. Even Feedlot Air Sparge 4. Industrial Recovery					Soil Vapor Extraction Injection 1			b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. o ft. o ft. o ft. to ft. ft. to ft. to ft. to ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft												
Grout Intervals: From ft. to ft., From ft. to ft. from ft. to ft.												
		e contaminati		potential source of co			P		1.0			
Septic Sewer			Lateral Line Cess Pool	es		Livestock			ide Storage			
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well												
Direction from well? ft.												
10 FROM	TO TO		ITHOLO		FROM	ТО		ft. ГНО. LOG (cont.) or	PLUGGIN	GINTERVALS		
		-										
					Notes:							
11 CONT	RACTOR'S	OR LAND	OWNER'S	S CERTIFICATIO	N: This wa	ter well was		onstructed, \Box reco	nstructed,	or plugged		
under my j Kansas Wa	urisaiction ai	nd was complete the second s	eted on (n ense No	no-day-year) This W	ater Well R	u this record	u 18 tr omnle	ue to the best of m eted on (mo-day-ye	y knowledgear)	ge and belief.		
	usiness nam	e of										
KS Departr				ELL OWNER and retain Vater, Geology Section, 1						2785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212												