	WATER WELL R	RECORD F	orm WW	/C-5 K	SA 82a-1212				
1 LOCATION OF WATER WELL:	FRACTION			SECTION NUMBER		NUMBER	RANGÉ NUMBER		
☐ Sedgwick	NE 1/4 NE	1/4 NE	1/4	36	T 26	S	R 1W	E/W	
Distance and direction from nearest town or city		d within city?							
	Center, Kansas FNER, Jason								
						Board of Agriculture, Division of Water Resource			
CITY, STATE: Valle	ey Center, Kansas		ZI	P CODE:		Application Num	nber:		
3 LOCATE WELL'S LOCATION 4	DEPTH OF CONFACE	WELL: 4	4 ft.		ELEVATION:				
WITH AN "X" IN SECTION BOX: De	pth of groundwater Encour	ntered:	ft.			ft.		ft.	
	ELL'S STATIC WATER LE	EVEL 13	FT. BELO	W LAND SU	JRFACE MEASU				
NW NE	Pump test				ft. after		of pumping @	gpm	
W W E E	Est. Yield: gpr Bore Hole Diameter	m Well wa $f 12$ in.		1 4 ft	ft. after . and	in.	of pumping @ to	gpm ft.	
5 W	ELL WATER WAS E USED		(0 4	11	. and	9. Dewateri	44 (-1-4		
	1. Domestic 3. Feedlo	t 5. Public wa	ter supply	7. Lawn	and garden only	>	12. Other (Spe	cify below)	
	2. Irrigation 4. Industr				nditioning	10. Monitorin	n g well what mo/day/yr wa	e eamnle	
· · ·	Was a chemical/bacteriological	sample submitted to I	Department?	YES Was V	NO Water Well Disinfe		YES NO		
5 TYPE OF CASING USED:		7 Fiberelese	9 0	ther (Specifi		NG JOINTS:	Glued	Threaded	
1. Steel 3. RPM (S	,	7. Fiberglass		and (opeon)	, 50.5,		Welded	Clamped	
2. PVC 4. ABS	Asbestos-Cemer		ile						
Blank casing diameter 5		ft., Dia.	in.	to	ft., C	Dia.	in. to	ft.	
Casing height land surface:	36 in.,	Weight:	I	bs. / ft.	Wall thic	kness or gaug	ge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)									
SCREEN OR PERFORATION OPENIN		2					,		
1. Continuous slot 3. Mill si		wrapped	7. To	rch cut	9. Drille	d holes	11. None (op	en hole)	
2. Louvered shutter 4. Key p	ounched 6. Wire wr		8. Sa	w cut	10. Othe	r (specify)			
,,,		• •							
SCREEN - PERFORATION INTERVAL	From	ft. to		ft.,	From	ft.	to	ft.	
CRAVEL BACK INTERVALS.	From	ft. to		ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From			ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1 Neat	From	ft. to		ft.,	From	ft. Other hend	to	ft.	
GROUT MATERIALS: 1. Neat Grout Intervals: From 3		ement Grout ft., From	ft.	3. Bentonite to	•	From	onite hole plug	g ft.	
What is the nearest source of possible of	ontamination:	•			ft.,				
1. Septic tank 4. Lateral lines			10. Livestoc	•		13. Insecticide storage 15. Oil well/Gas well 14. Abandon water well 16. Other (specify below)			
2. Sewer lines 5. Cess Pool 5.							city below,		
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage									
Direction from well? From To	LITHOLOGIC LOC	3	From	То	How ma	-	GIC LOG		
110111 10	LITTIOLOGIO LOC	,	0	3	compacted c		Olo Loo		
	,		3	23	bentonite ho				
			23	44	chlorinated	gravel			
			 						
									
					-				
7	Sanking, This are "	. 4			d or o	hanned	under my juriedictic	n and	
Contractor's or Landowner's Certif				constructe	-	lugged	under my jurisdictio	ii aiiu	
was completed on (mo/day/year)	8/27/2020				knowledge and b		(2020		
Kansas Water Well Contractor's Licer	ise No. 236	This water w			d on (mo/day/year		/2020		
under the business name of Harp Well and Pump Service by (signature) Todd S. Horp									