	WA	TER WE	LL RECO	ORD F	orm WV	VC-5 KS	SA 82a-12	212			
1 LOCATION OF WATER WELL		CTION			SEC	TION NUMBER	1	HIP NUMBER	1	NUMBER	
Sedgwick		W 1/4	NW 1/4		1/4	31	<u> </u>	26 S	R 1	W E/W	
Distance and direction from neare	-	wichita,		city?							
3224 N. Pinegrove 2 WATER WELL OWNER	~~~		Kansas								
RR#,ST. ADDRESS,BOX #		_	Ste #A					Board of Ag	riculture, Division of	Water Resource	
CITY, STATE	: Wichita, I	Kansas			Z	IP CODE:		Application Nu	mber:		
3 LOCATE WELL'S LOCATION	4 DEPTH	OF COMPL	ETED WELL	70) ft.		ELEVATION	:			
WITH AN "X" IN SECTION B		roundwater l	Encountered:		ft			ft.		ft.	
	WELL'S S	STATIC WAT	ER LEVEL	7	FT. BELC	W LAND SU	RFAÇE MEA	SURED ON mo/	day/yr: 9/	5/20	
NWNE-			p test data:	Well wat			ft. after		s of pumping @	gpm	
W Wile	1 1	Yield:	gpm 12	Well wat		7 0 ft.	ft. after		s of pumping @ to	gpm ft.	
Z W		le Diameter ATER TO BE		311.	ιο	/ U II.	and	in. 9. Dewater		jection well	
- SW SE-	1. Dome		eedlot	5. Public wa	ter supply	7. Lawn a	nd garden o	nly 9. Dewater	9	Specify below)	
1	2. Irriga			6. Oil field w	• • •	8. Air con		10. Monitori	-	was sample	
s	Was a ch submitted		ological sample	submitted to D	epartment?	YES Was V	NO Vater Well Dis		what mo/day/yr	NO	
5 TYPE OF CASING U	SFD.				9.0	ther (Specify		ASING JOINTS:	Glued	Threaded	
1. Steel	3. RPM (SR)	5. Wrought I		. Fiberglass	SD	R-26	50.011)		Welded	Clamped	
2. PVC	4. ADO	6. Asbestos-	-	. Concrete ti	le 3D	K-20					
Blank casing diameter	5 in.		50 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height above land s		*****		Weight:	2.35	lbs. / ft.	Wall	thickness or gau	ge No21	4	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION		E.		, ,							
1. Continuous slot	3. Mill slot		auzed wrapp	oed	7. T c	orch cut	9. D	rilled holes	11. None	(open hole)	
2. Louvered shutter	4. Key punched	d 6. W	ire wrapped		(8. S a	w cut	10. O	ther (specify)			
SCREEN - PERFORATION	INTÉRVAL F	rom	50 ft.	to	70	ft.,	From	ft.	to	ft.	
	,	rom	ft.	to		ft.,	From	ft.	to	ft.	
GRAVEL PACK INT	ERVALS: F	rom	24 ft.	to	70	ft.,	From	ft.	to	ft.	
		rom	ft.	to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS:	1. Neat cemen	t	2. Cement	Grout		3. Bentonite			tonite hole p		
Grout Intervals: Fro		to	24 ft.,	From	ft.		ft.,	From	•	o ft.	
What is the nearest source of	•	nation:	Pit privy	1	0. Livesto	ck pens	-	cticide storage	15. Oil well	/Gas well	
7. Laterar lines						vestock pens 13. Insecticide storage uel storage 14. Abandon water well			46 Othor (16. Other (specify below)	
2. Sewer lines	5. Cess Pool		Feed yard		2. Fertilize	-	17. 754	ndon water wen			
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Direction from well? East							How	How many feet? 10 ft. plus			
From To	LITH	OLOGIC	LOG		From	То		LITHOL	OGIC LOG		
0 3 tops					ļ						
3 28 clay 28 48 fine	sand				 	+					
48 70 clay	Sanu					1					

Contractor's or Landov				constructed		econstructed		plugged	under my jurisd	iction and	
was completed on (mo/da	y/year) 9	/5/2020	and	this record	is true to th	e best of my	knowledge an	d belief.			
Kansas Water Well Contra	actor's License No.	236	1	This water we	ell record w	as completed	on (mo/day/y	rear) 9/7	//2020		
under the business name of Harp Well and Pump Service by (signature) Todd S. Harb											