		WATER V	VELL RE	CORD	Form WV	VC-5 K	(SA 82a-121	12		
1 LOCATION OF WATER	WELL:	FRACTION				TION NUMBE	R TOWNSHI	P NUMBER	RANGE NU	
☐ Sedgwick		SE 1/4	4 NE	1/4 SW	1/4	20	T 2	6 S	R 1W	/ EW
Distance and direction from	nearest town or city st	treet address of w	ell if located wit	thin city?						
536 S. Horsesh	oe Bend St.	Maize	, Kansas							
2 WATER WELL OW	WER: YAHS	SHUA, Erv	in							
RR#,ST. ADDRESS,B		. Ford	†					Board of Agno	culture, Division of W	rater Resource
CITY, S	TATE: Valley	y Center, K	ansas			P CODE:	67101	Application Num	ber:	
3 LOCATE WELL'S LOCA	ATION 4 D	EPTH OF COM	IPLETED WE	LL:	55 ft.		ELEVATION:			
WITH AN "X" IN SECTI		th of groundwat	er Encounter	ed:	ft			ft.		ft.
		LL'S STATIC W					URFACE MEASI	IRED ON mo/d:	av/vr: 9/30	/20
			ump test data	-	ater was		ft. after		of pumping @	gpm
NW	- NE	Est. Yield:	gpm		ater was		ft. after		of pumping @	gpm
₩ <b>X</b>	F Bo	re Hole Diamet		in.	to :	55 f	t. and	in.	to	ft.
[ <del>-</del> ]		LL WATER TO					t. und		44 1-1-	tion well
sw -X			3. Feedlot		ater supply	7. Lawn	and garden on	9. Dewaterir	12. Other (Sp	
111 ' 1	2.	Irrigation	4. Industrial		water supph		nditioning	10. Monitorin		, , , , , , , , , , , , , , , , , , ,
		as a chemical/bac	teriological sam	ple submitted to	Department?	YES	NO		vhat mo/day/yr w	
	sub	mitted				Was	Water Well Disin	fected?	YES N	10
5 TYPE OF CASIN	NG USED:	5. Wrougi	ht Iron	7. Fiberglas	9. 0	ther (Specif	y below) CAS	SING JOINTS: (	Glued	Threaded
1. Steel	3. RPM (SR)	)			S.D.	R-26			Welded	Clamped
2. PVC	4. ABS	6. Asbest	os-Cement	8. Concrete	tile 5D	11-20				
Blank casing diameter	5 ii	n. to	35 ft.,	Dia.	in.	to	ft.,	Dia. i	n. to	ft.
Casing height above la	and surface:	12 in.,		Weight:	2.35	bs. / ft.	Wall th	ickness or gaug	e No214	
TYPE OF SCREEN OF	RPERFORATION	MATERIAL:								
1. Steel 3. S	Stainless Steel	5. Fiberglas	s <	7. PVC	9. A	BS	11. O	ther (specify)		
2. Brass 4. 0	Galvanized	6. Concrete	Tile	8. RMP (SR)	10. A	sbestos-Ce	ement 12. No	one used (open l	hole)	
SCREEN OR PERFOR	ATION OPENING	S ARF								
1. Continuous slot	3. Mill slo		. Gauzed wra	anned	7 <b>T</b> o	rch cut	9. Dril	led holes	11. None ( o	pen hole)
				• •						,
2. Louvered shutter	4. Key pu	nched 6	. Wire wrapp	ea	8. 58	w cut	10. Oth	er (specify)		
SCREEN - PERFORAT	ION INTERVAL	From	35	ft. 1	o 55	ft.,	From	ft.	to	ft.
		From		ft. 1	0	ft.,	From	ft.	to	ft.
GRAVEL PACE	K INTERVALS:	From	24	ft.	to 55	ft.,	From	ft.	to	ft.
		From		ft.	to	ft.,	From			
G GROUT MATERIAL	1.0.							ft.	to	ft.
<u>P</u>	I. Neat C			ent Grout	,	3. Bentonit	e	Other bent	onite hole plu	<b>-</b>
Grout Intervals:	From	ft. to	) fi	t., From	ft.	to	ft.,	From 4	ft. to	24 ft.
What is the nearest soul  1. Septic tank	4. Lateral I		7. Pit privy		10. Livesto	k pens	13. insect	icide storage	15. Oil well/G	as well
1 -			8. Sewage la	agoon	11. Fuel sto		14 Abane	ion water well	16. Other (sp	ecify below)
2. Sewer lines	5. Cess Po		•	•		•	14. Abalic	ION Water Wen		•
3. Watertight sewer	line 6. Seepag South	e pit	9. Feed yard		12. Fertilize	r storage			4 mlua	
Direction from well?		ITUOL OC	10.1.00		T F	T =-	How m	any feet? 10 f		
From To		ITHOLOG	IC LUG		From	То		LITHOLO	GIC LOG	
	opsoil :lav					<del>                                     </del>	<del> </del>			
	ine sand	· <del></del>			+	<del> </del>	<del> </del>			
	nedium sand				<del>                                     </del>		<del> </del>		<del></del>	
	HEATIGHT SAIRCE				+				. ,	
				,			1			
								-		
	;									
						]				
I						L				
<u> </u>	· · · · · · · · · · · · · · · · · · ·	<del>,,,,,,</del>								
	-, <u></u> ,,					<del>                                     </del>	<b>_</b>			
<del></del>						<u> </u>	l		, t	
7 Contractor's or La	ndowner's Certifica	ation: This water	er well was 1.	constructe	2. re	constructe	ed or 3.	plugged (	under my junsdicti	ion and
was completed on (m	no/day/vear)	9/30/202	0 :	and this recor	d is true to the	e best of my	knowledge and	belief.		
							d on (mo/day/yea		2020	
Kansas Water Well C	JUNEACTOR'S LICENSE	MINIO 2.565								
under the business na						ignature)	, , ,		<sub>12020</sub> . Harb	