KOLAR Document ID: 1539099

WATER		ECORD Correction		WWC-5 ge in Well Use		ivision of W sources App			Well ID		
Original Record Correction Change 1 LOCATION OF WATER WELL:			Fraction	Section Nur					ge Number		
County:				1/4 1/4 1	/4 1/4	1/4 T S R C				□ E □ W	
						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City: State:				ZIP:							
3 LOCATH WITH "Y				IPLETED WELL:							
SECTIO			Depth(s) Groundwater Encountered: 1) 2)				Longitude:(decimal degrees)				
N		2) WELL'S ST		Il Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27 Source for Latitude/Longitude:							
			below land surface, measured on (mo-day-yr)					(unit make/model:)	
NW	NE		/-yr)		(WAAS enabled? Yes No)						
		Pump test d			\Box Land Survey \Box Topographic Map						
W X	E	aner	after hours pumping gp Well water was ft.				Online Mapper:				
SW	SE	after	gpm	6 Elevation & Cound Level D TOC							
		Estimated Y	£	6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map							
1 m		Dole Hole L	Bore Hole Diameter: in. to in. to								
7 WELL WATER TO BE USED AS:											
1. Domestic:			ater Supply: well ID								
☐ Househ □ Lawn &											
			 7. ☐ Aquifer Recharge: well ID 8. ☐ Monitoring: well ID 				12. Geothermal: how many bores?				
2. Irrigation 9. Environmental				al Remediation: well l	. a)	a) Closed Loop 🔲 Horizontal 🔲 Vertical					
3. Effective Feedlot			-		b) Open Loop 🗌 Surface Discharge 🗍 Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface											
Steel Stainless Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Septic T			Lateral Line			Livestock		Insection	ide Storage		
Sewer L			Cess Pool	Sewage L		Fuel Stora			oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
☐ Other (Specify) Direction from well? ft.											
10 FROM	TO	Ι	ITHOLO	GIC LOG	FROM	TO	LI	THO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:						
+											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No											
Kansas Wat	er Well Cor	itractor's Lice	ense No		ater Well R	ecord was c	o is tr	eted on (mo-day-ve	ear)		
	isiness name	e of									
KS Departm	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
		ks.gov/waterwel		,,, .		,	· - P	,		SA 82a-1212	