KOLAR Document ID: 1586852

		Correction		WWC-5 ge in Well Use			tion of Wate trces App. N			Well ID			
Original Record Correction Chang LOCATION OF WATER WELL:						ion Numbe		Township Numb		ge Number			
Count			1/4 1/4	¹ / ₄ T S R 🗆									
2 WELL		treet or Rural Address where well is located (if unknown, distance and											
Business: Address:	direction fi	irection from nearest town or intersection): If at owner's address, check here:											
Address: City: State: ZIP:													
City:			ZIP:										
3 LOCAT WITH "			IPLETED WELL: ft.			5 Latitude:(decimal degrees)							
	ON BOX:	Depth(s) Groundwater Encountered: 1) 2)				Longitude:(decimal degrees)							
l1	N	WELL'S STATIC WATER LEVEL:				1	Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
		below land surface, measured on (mo-day-yr)					GPS (unit make/model:)						
	NE	D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.				•••••				(o)			
	Ε	after hours pumping					□ Land Survey □ Topographic Map □ Online Mapper:						
		Well water was ft.											
			· hours pumping gpm I Yield:				6 Elevation:ft. Ground Level TOC			Level 🗆 TOC			
	S		Bore Hole Diameter: in. to				Source: Land Survey GPS Topographic Map				opographic Map		
	nile		in. to				□ Other						
7 WELL WATER TO BE USED AS:													
1. Domestic	1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?												
			7. Aquifer Recharge: well ID] Uncased			
	Livestock 8. Monitoring				g: well ID			12. Geothermal: how many bores?					
	2. Irrigation 9. Environmental Remediation: wel												
3. □ Feedlot □ Air Sparge 4. □ Industrial □ Recovery					oil Vapor Extraction			b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? \Box Yes \Box No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.													
Casing height above land surface													
Steel Stainless Steel PVC Other (Specify)													
□ Brass □ Galvanized Steel □ None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
	nuous Slot	Mill Slot Kay Punch			Torch Cut				Other (Specify)				
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From													
				n ft. to	,				,				
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
				ft., From					ft. to	ft.			
Nearest sou		le contaminati	on: No Lateral Line	o potential source of c es			in 200 ft. ivestock Pe	ons	□ Insectic	ide Storage			
			Cess Pool	Sewage l			uel Storage			Ų			
	ight Sewer Li			☐ Feedyard		🗆 F	ertilizer Sto	orage	Oil We	ll/Gas Well			
Direction from well? ft.													
10 FROM	TO		ITHOLO		FROM		ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
									× / *				
						\square							
						-+							
						+							
					Notes								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged													
under mv i	urisdiction a	nd was compl	leted on (n	no-day-year)	אדע, דוווא א נ	and th	nis record	is tru	ie to the best of m	y knowled	ge and belief.		
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year) under the business name of													
under the b	usiness nam	e of	WATED	FLL OWNED and rates	n one for your	recor	de Faaaf ^e	 5 00 f	or each constructed	 11	<u></u>		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
		eks.gov/waterwel						-			SA 82a-1212		