KOLAR Document ID: 1593798

		Correction		WWC-5 ge in Well Use		vision of Wat ources App.			Well ID		
			Fraction	Section Number					ge Number		
County: ¹ / ₄					1/4	1 0				$\Box E \Box W$	
Business: di Address:						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
Address: City:			State:	ZIP:							
3 LOCAT	IPLETED WELL: .	f	ft. 5 Latitude :(decimal degrees)								
WITH " SECTIO	Depth(s) Gr	Depth(s) Groundwater Encountered: 1)				Longitude:(decimal degrees)					
	N	2) WELL'S ST	Dry Well	Datum: 🗌 WGS 84 🔲 NAD 83 🔲 NAD 27							
				n. .yr)		Source for Latitude/Longitude:					
NW	NE	□ above l	and surface	yr)		(WAAS enabled? ☐ Yes ☐ No)					
		-	Pump test data: Well water was ft. after hours pumping gpm				Land Survey Topographic Map Online Manner				
W	E	arter	Well water was ft.				Online Mapper:				
SW		after hours pumping gpm			6 Elevation:ft. Ground Level TOC						
	S		Bore Hole Diameter: in. to ft.				Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic Map				
	mile		in. to ft.			□ Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
	□ Household										
Lawn & Garden 7. Aquifer			Aquifer R	echarge: well ID		Cased Uncased Geotechnical					
	□ Livestock 8. □ Monitoring: well 2. □ Irrigation 9. Environmental Remo										
3. ☐ Feedlot					Extraction b) Open Loop Surface Discha			scharge 🗌	Inj. of Water		
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest sou	rce of possib	le contaminati	on: No	potential source of con	tamination wi	ithin 200 ft.					
			Lateral Line			Livestock P			Ų	Wall	
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well											
☐ Other (Specify) Direction from well? Distance from well? ft.											
10 FROM	TO TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	GINTERVALS	
						+					
					Notes:						
11 CONT	RACTOR'S	S OR LANDO	OWNER'S	S CERTIFICATION	I: This wate	er well was		onstructed, reco	nstructed,	or plugged	
Kansas Wa	aristiction a ater Well Con	nu was completent	eieu on (n ense No	no-day-year) 	and ater Well Re	cord was co	is tru mple	te to the best of my	ar)	ge and benef.	
		e of									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
-		eks.gov/waterwel					-			A 82a-1212	