KOLAR Document ID: 1601213

<u> </u>	WELL R			WWC-5 ge in Well Use				of Wate			Well I	m [				
1 LOCAT	Fraction			s App. N Numbe		Township Numb		Range Number								
County	1/4 1/4		ection	Nullibe	71	T S										
	OWNER: L	First:	1/4	*	Purol A	Adross	who									
Business:		Street or Rural Address where well is located (if unknown, distance and tirection from nearest town or intersection): If at owner's address, check here:														
Address:	Address:								and the state of t							
Address:																
City:			State:	ZIP:												
3 LOCAT		IPLETED WI	et i :	: ft.   5 Latitude:						(	dagimal dagrags)					
WITH "					Encountered: 1) ft.					e:						
	PION BOX: Depun(s) Groundwater Encountered: 1)									WGS 84 □ NAI						
	WELL'S STATIC WATER LEVEL:						Source for Latitude/Longitude:						110 21			
		☐ below l	low land surface, measured on (mo-day-ya							unit make/model:			)			
NW	NE		-yr)	(V			WAAS enabled?   □	] Yes [	□N	o)						
		Pump test da		☐ Land Survey ☐ Topographic Map												
w	Е	after hours pumping					Online Mapper:									
SW	SE	Well water was ft. after hours pumping gpm					-									
	LJX	Estimated Y	gpiii	6 Elevation:ft. ☐ Ground L					Level   TOC							
	S S	Bore Hole I	ft and					rvey GPS Topographic Map								
1 mile				in. to					Other							
7 WELL WATER TO BE USED AS:																
1. Domestic:				ter Supply: well	l ID		1	10. □ Oi	l Fie	ld Water Supply: 16	ease					
☐ Housel	g: how many w				11. Test Hole: well ID											
				echarge: well II	)			☐ Ca	ised	☐ Uncased ☐	Geotechr	nical				
☐ Livestock 8. ☐ Monitoring										al: how many bores						
2. ☐ Irrigation 9. Environmental Remediation: we										Loop  Horizont						
3. ☐ Feedlot ☐ Air Sparg						b) Open Loop ☐ Surface Discharge ☐ Inj. of Wat										
	4. Industrial Recovery Injection 13. Other (specify):															
				itted to KDH	E? □	Yes No	o If y	yes, date	san	nple was submitte	d:					
		Yes		g <b>=</b> 0.1		CAC		ODITO		GL 1 <b>G</b> GL						
										Glued Clamped			☐ Threaded			
										or gauge No						
		urface			•••••	lbs./f	ι. νν	van unck	illess	of gauge No		•••				
☐ Steel		less Steel	ION MA		PVC			□ Oth	or (S	Specify)						
☐ Brass	_	anized Steel				ised (open h	ole)		ici (L	specify)			•••••			
_	_	ATION OPE	NINGS A		1 10110 0	isea (open n	010)									
	nuous Slot	☐ Mill Slot		auze Wrapped	Пто	orch Cut 🗆	Drille	d Holes	П	Other (Specify)						
	red Shutter	☐ Key Puncl						(Open H		(-1 - 7)						
SCREEN-P	PERFORATE	ED INTERVA	ALS: From	n ft. to		ft., Fron	a	ft. to	·	ft., From	ft	. to	ft.			
Gl	RAVEL PAC	CK INTERVA	ALS: Fron	n ft. to		ft., Fron	n	ft. to	o	ft., From	ft	ı. to	ft.			
Grout Interva	als: From	ft. to								ft. to						
		e contaminati		potential source												
☐ Septic '			Lateral Line					stock Pe		☐ Insection						
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well																
☐ Waterti	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well															
☐ Other (Specify)																
10 FROM	TO		ITHOLOG		IIOIII W	FROM				HO. LOG (cont.) or		TINC	FINTERVALS			
TO I KOM	10	-	ATHOLOG	JIC LOG		TROM		10	LII	110. LOG (cont.) of	TLOGC	)II (C	JIVILKVALS			
						+										
						1										
						+										
						1										
						+										
						Notes:	ı	i_								
						=										
						7										
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged															
under my ju	under my jurisdiction and was completed on (mo-day-year)															
Kansas Wa	Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year)															
under the b	usiness name	01	- XV A (DDD XX)	TELL OWNER	1	£		T cd=			-11	••••				
KS Denarta	nent of Health a	sena one copy to nd Environment	NATER W	ELL OWNER and Vater, Geology Sec	i retain	one for your r )00 SW Jacks	ecords. on St S	ree of \$5 Suite 420	1 00.0 Tone	or each <u>constructed</u> we ka, Kansas 66612-136	л. 57. Teleni	hone	785-296-3565			
_		ks.gov/waterwel		, 220108, 500		vacito	, 0		- JPC	.,			A 82a-1212			