KOLAR Document ID: 1597802

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App.]			Well ID			
				Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$	Section Number Township Number 1/4 T S				ge Number			
county						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							irection from nearest town or intersection): If at owner's address, check here:					
Address:												
Address: City:			State:	ZIP:								
3 LOCAT	FWFII											
	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)											
	ON BOX:		Longitude:									
1	2) ft. 3) ft., or 4)					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:				AD 27		
	below land surface, measured on (mo-day-yr						GPS (unit make/model:)					
NW				, measured on (mo-day-		. .	(WAAS enabled? ☐ Yes ☐ No)					
				vater was ft		□ Land Survey □ Topographic Map						
W E after							Online	e Mapper:				
				s pumping								
Estimated Yield:			'ield:	gpm		6 Elevation:ft. Ground Level TOC						
			in. to	Source	Source: Land Survey GPS Topographic Map							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease												
	☐ Household						11. Test Hole: well ID					
	Lawn & Garden 7. Aquifer Recharge: well ID					□C	Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID						12. Geothermal: how many bores?					
2. 🗌 Irrigati				al Remediation: well ID			a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water					
	3. □ Feedlot □ Air Sparge □ Soil Vapor Ex 4. □ Industrial □ Recovery □ Injection						13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? \Box Yes \Box No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From ft. to												
	rce of possible			potential source of con								
□ Septic			Lateral Line	es 🗌 Pit Privy		Livestock P			ide Storage			
Sewer			Cess Pool	Sewage Lag		Fuel Storage			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well?												
10 FROM	ТО		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		J INTERVALS		
					Notes:		I					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
Under my J Kansas Wa	urisdiction an	a was compl	eted on (n	no-day-year) 	ter Well Red	this record	18 tru mple	ted on (mo-day ye	y knowledg	ge and belief.		
	ousiness name	of										
	2	Send one copy to	WATER W	ELL OWNER and retain o	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												