KOLAR Document ID: 1597813

	WELL R			WWC-5		vision of							
		Correction		e in Well Use		esources A			Well ID				
1 LOCATION OF WATER WELL: Fraction County: 1/4						±				ige Number			
county.						Dural Ad	$T S R \square E \square W$ real Address where well is located (if unknown, distance and						
2 WELL Business:		ast mame:		First:		rection from nearest town or intersection): If at owner's address, check here:							
Address:	Address:												
Address:			a										
City:			State:	ZIP:									
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:													
SECTION BOX . Depth(s) Groundwater Encountere							Longitude:(decimal degrees)						
1	Ν			3) ft., or 4)			Datum: WGS 84 NAD 83 NAD 27						
			WELL'S STATIC WATER LEVEL:					or Latitude/Longitude		``			
NW	NF	\square above la											
	⁻ X ^{NE}	Pump test data: Well water was ft.				□ Land Survey □ Topographic Map							
w	E	after hours pumping					Online Mapper:						
SW	SE	Well water was ft. after hours pumping gpn											
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC							
	S	Bore Hole Diameter: in. to				<u>.</u>	Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic Map						
	mile		in. to ft				□ Other						
7 WELL WATER TO BE USED AS:													
1. Domestic: 5. □ Public Water Supply: well ID													
			 6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID 										
	Livestock S. Monitoring: well ID .						Cased Uncased Geotechnical 12. Geothermal: how many bores?						
	2. □ Irrigation 9. Environmental Remediation: well ID												
3. EFeedlot Air Sparge Soil Vapo					Extraction	b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water							
	4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
□ Steel □ Stainless Steel □ PVC □ Other (Specify)													
Brass Galvanized Steel None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)													
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From													
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Deat cement Cement grout Bentonite Other													
Grout Intervals: From													
		e contaminatio		potential source of con				— • • •					
Septic Sewer			Lateral Line Cess Pool	es 🗌 Pit Privy 🗌 Sewage La		Livesto			cide Storage				
	ight Sewer Lir			☐ Sewage La		Fertiliz			ll/Gas Well	wen			
□ Other (Specify)													
	Direction from well? ft.												
10 FROM	TO	L	ITHOLO	GIC LOG	FROM	TC) LI	THO. LOG (cont.) of	PLUGGIN	G INTERVALS			
	├												
	├												
					Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
				o-day-year)									
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ater Well R	ecord wa	as comp	leted on (mo-day-y	ear)				
	usiness name	e of											
KS Departs				ELL OWNER and retain of Vater Geology Section 10						785-296-3565			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													