KOLAR Document ID: 1634892

				ivision of Water		W 11 ID			
Original Record		ge in Well Use		sources App. No		Well ID	NT 1		
1 LOCATION OF	WATER WELL:	Fraction		ection Number			nge Number		
County:		1/4 1/4 1/4		1 A 11	T S	R	□ E □ W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from pearest town or intersection): If at owner's address, check here:									
Business: direction from nearest town or intersection): If at owner's address, check here:									
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	3 LOCATE WELL WITH 657 IN 4 DEPTH OF COMPLETED WELL:				l <sub>o</sub> .		(1 : 11 )		
WITH "X" IN		Depth(s) Groundwater Encountered: 1) ft.							
SECTION BOX:	2) ft. 3) ft., or 4) $\square$ Dry V			Longitude:					
N	WELL'S STATIC WATER LEVEL:				for Latitude/Longitude		IAD 21		
	□ below land surface, measured on (mo-day-yr)				GPS (unit make/model:)				
NW NE	$W_{} _{NE}$ above land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No)				
	Pump test data: Well water was ft.			☐ Lar	☐ Land Survey ☐ Topographic Map				
w	after hours pumping gpm			☐ On	Online Mapper:				
SW SE	Well water was ft. after hours pumping gpm								
	Estimated Yield:		gpm	<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC			l Level □ TOC		
S		gpm in. to	ft and		Source:   Land Survey   GPS   Topographic Map				
1 mile						Other			
1 mile  in. to ft. Uther									
1. Domestic:		ater Supply: well ID		10. □ Oil	Field Water Supply: 16	ease			
☐ Household		ng: how many wells?			11. Test Hole: well ID				
Lawn & Garden									
☐ Livestock	<b>–</b>				12. Geothermal: how many bores?				
2. Irrigation					a) Closed Loop				
3. Feedlot	Air Sparge	Extraction		b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
	4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected?									
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft.									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)									
10 FROM TO	LITHOLO		FROM		LITHO. LOG (cont.) or		GINTERVALS		
IU TROM TO	EITHOLO	GIC EOG	TROM	10 1	ZITTO: LOG (cont.) of	TEOGOIN	O II VIER VILES		
	+								
	1								
	1								
	1		Notes:	1					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed,   reconstructed, or   plugged									
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year) under the business name of									
under the business n	Sond one servite WATER W	VELL OWNED and make	ono for	aorda Ess -f # C	00 for analy sometime				
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
	kdheks.gov/waterwell/index.html			,	r,		SA 82a-1212		